

Product Catalogue

www.tti.com.au













Welcome to the 2020 Catalogue

Dear Customer,

Welcome to the 2020 edition of TTi's comprehensive product catalogue. Whether you're a long-standing customer of TTi or perhaps considering your first purchase, we would like to warmly invite you to browse through this informative new guide.

At TTi we believe in more than just our products. We believe in partnering with our Local Active Dealers (LAD's) to enhance their reputation in their community. This is done through the products we supply, the knowledge we seek to impart, the merchandising we provide and the marketing we offer, all contributing towards a winning combination!

Over the past 12 months we have channelled significant resource into getting out into the field with our end users and understanding exactly how our products are being used, and where they can be refined and improved. The feedback has been invaluable, and we trust you can see the results continuing to be reflected in the presentation and functionality of our range.

Thank you again, we sincerely look forward to working with you.

Kind Regards,

Ross Büchner | General Manager



Our Value Proposition

LADs

Partnering with Local Active Dealers to enhance their reputation and financial performance through the following enablers:

Products | Knowledge
Merchandising | Marketing

Our Distinctive Capability

KDMB

Knowledge

An enormous wealth of industry experience

Design Skills

Unique design flair and a passion for presentation

Merchandising

Unique, attractive merchandising displays

Brand Mastery

A vibrant, attractive and carefully protected brand

Our **Values**

CRISP

are

In everything we do, we care about the end result

Respect

We respect one another, always

Interest

We show genuine interest in the needs of our customer

Sincerity

We say what we mean, and mean what we say

Passion

We are passionate and determined





Fabrication

















Few of the Team 2020.... There's more of us!





Kevin Büchner
Product Specialist



Elmer Selby
Customer Service
Champion



Rolf Büchner

Product Specialis



Dale James
Product Special



Emiel Warmerdam
Business Developmen
Manager

Ross Büchner



Jens Büchner

Marketing Coordinator



Jarrod Hatton
Product Build Manager



Pierre Büchner
National Sales Manager



Richard Southall Operations Manager



Paul Kiesskalt
Production Planner



Andrew Trappel
State Manager NSW/QLD



Ken Paxinos
Supply Chain Manager



Craig Hook
Logistics Manager



eople are human! At TTi we believe that anyone can copy the products we manufacture, the marketing we produce, the facilities we have, but nobody can copy the people that make the company what it is. Our people and their families mean everything to us and always will.

TTI invests heavily in the personal and professional development of its staff through engaging the services of expert trainers across many fields. We always believe we can learn more!

ourpeople

what's new



Tipper TanksSizes: 8000, 10000, 12000 Litres

See page 15

- » 20-Year tank warranty
- » UV stabilised to withstand the elements
- » Heavy Duty `Tuff-Flex Molecular Technology'



OnDeck[™] 150L The Ultimate Sprayer for UTVs

See page 41

- » Suited to mid range UTV's
- » Includes 3 litre fresh water tank
- » Pump Protection cover



BackUp[™] 16L Fire Fighting Knapsack

See page **90**

- » Double action chromed brass pump
- » Adjustable nozzle for effective performance
- » Ergonomic tank design for user comfort



OnDeck[™] 300L (Compact)
The Ultimate Sprayer for UTVs

See nage 41

- » Fits in all larger UTV trays
- » Includes 10 litre fresh water tank
- » Fully drainable with forkable steel frame



LiquidLocker™Safety Baffle System

See page 10

- » Reduces fluid movement
- » Suitable for use with all tanks
- » Food-grade quiality material



SuperReel 50™ Your Spraying Partner

See page **50**

- » NEW! Fully enclosed frame design minimizes pinch points
- » Manual override button and isolation switch
- Tough powder-coated finish







LWH: 1620 x 710 x 510mm

AquaTrans™ 400L

20-Year Warranty CODE: PTC00400ASG

\$995*

Steel Skid Frame

34" Poly Drain Bung & Seal

Top Mount Steel Pump Plate



ø255 Lid Assembly

CODE: ASFD00400A » 34" Poly Drain Bung & Seal

CODE: SSF001

100L LWH: 900 x 450 x 475mm

LWH: 800 x 430 x 390mm

AquaTrans™ 50L 20-Year Warranty CODE: PTC00050SG

» ø150 Lid & Seal

» 3/4" Polv Drain Buna & Seal

LWH: 590 x 320 x 280mm

AquaTrans™ 20L

20-Year Warranty

CODE: PTC00020SG

\$197*

ø100 Lid & Seal

50L

\$324*

» ¾" Polv Drain Buna & Seal

ø150 Lid & Seal

\$489*

34" Polv Drain Buna & Seal

AquaTrans™ 100L

20-Year Warranty

CODE: PTC00100SG

AguaTrans™ 200L

20-Year Warranty CODE: PTC00200SG

ø255 Lid Assembly

220L

LWH: 925 x 710 x 510mm

AquaTrans™ 220L

Steel Skid Frame

Top Mount Steel Pump Plate

CODE: ASFD00220

\$504*

CODE: SSF001

20-Year Warranty CODE: PTC00220SG \$560*

00 litre WATER tank CODE: PTZV00100SG

450mm(ø) x 950mm(H)

Water & Foam

TANKS

UV **stabilised** for years of use **Moulded** inserts for mounting

Tanks can be **drilled and tapped** to

Extra thick structure for handling

10 LITRE WATER TANK

CODE: PTZV00010SG

220mm(ø) x 460mm(H)

25 litre WATER TANK

CODE: PTZV00025SG

450mm(ø) x 400mm(H)

CODE: PTZV00050SG

450mm(ø) x 600mm(H)

50 LITRE WATER TANK \$308

Impact resistant

accept fittings

pressure up to 4 psi

Space saving profile

VQUID LOCKER to reduce surge

& INCREASE

STABILITY

All tanks are cooked to

temperature, not time

UV stabilised to

withstand the

elements

Free outlet fitted with

every tank

SureFit Tank securing kit

available for all water

cartage tanks

Specifically designed footings to

enable easy mounting to any flat

surface - mounting pins included

25 LITRE FOAM TANK CODE: PTZB00025SG

450mm(ø) x 400mm(H)

50 litre FOAM tank CODE: PTZB00050SG 450mm(ø) x 600mm(H)

> CODE: PTZB00100SG 450mm(ø) x 950mm(H)



\$209











400L Example Tank Application

Differences between AquaMove[®]

and Aqua Trans What makes

better finish

to give you peace of mind

AUSTRALIAN MADE

Extra thick tank

structure with a

load capacity

of up to an

enormous

1.3 Specific

Gravity on all on

all AquaTrans

Exclusive, specially developed and

formulated polyethylene incorporating our

"Tuff-Flex Molecular Technology" ideal for

safe & secure transporting

TTi's Tanks Unique?

our focus by producing storage tanks and other roto-moulded products.

More than 20 years specialising in the manufacture of quality water cartage tanks. We do not dilute

The DNA of every TTi tank is recorded. This combined with rigorous quality checks including ultrasound thickness testing

and laboratory impact testing ensures that our clients are getting the very best available tanks on the Australian market,

Easy to read calibration on side wall of

tank for auick measurement of contents

(when sight level tube fitted on tank

under 6000 litres)

Our tanks incorporate detailed engineering design in the blending of specific radii to produce a

There is nothing much in the way of a rotationally moulded polyethylene water cartage tank that compares with the TTi AquaTrans tank range. A really heavy-duty tank with a 20year warranty is just part of

the deal. The Aquatrans is a premium product and is in a league of its

own. This is the bees'

knees!

Without any compromise, the AquaMove range has been introduced to be a player in the price sensitive end of the market. With a slightly lighter design than the

AquaTrans and a 15year warranty, this is

the everyday range.

Enquire Now! 1800816277

NEW! LiquidLocker

Eliminate Surge In Your Tank



LiquidLocker[™] Ø380mm Anti-Surge Baffling Safety System **1 Ball per 33 Litres** (1:33)

\$8.50*

Complies with load restraint guide performance standards

Reduces fluid movement for improved load stability during transit

Suitable for use with all tanks - poly, steel, fibreglass, aluminium, etc.

Food grade quality material - suitable for potable water

Liquid lockers can be used with water, diesel and other liquids

Simple to install - Balls are supplied in two halves and require a 'Push n Click' and inserting through lid into tank









SAFETY with our LIQUID LOCKER



500L

LWH: 1250 x 1070 x 580mm

AguaTrans™ 500L

Poly Tank with 20-Year Warranty CODE: PTC00500SG

\$1,095*

LiquidLockers™ \$260 (supplied 71 pcs) LiquidLockers[™] \$338 (fitted 71 pcs)



600L

LWH: 1250 x 1070 x 740mm

AquaTrans™ 600L

20-Year Warranty CODE: PTC00600SG

\$1,149*****

LiquidLockers™ \$170 (supplied 20 pcs) LiquidLockers[™] \$190 (fitted 20 pcs)



800L

LWH: 1430 x 1220 x 670mm

AquaTrans™ 800L

20-Year Warranty CODE: PTC00800SG

\$1,395*

LiquidLockers™ \$213 (supplied 25 pcs) LiquidLockers™ \$238 (fitted 25 pcs)



1000L

LWH: 1430 x 1220 x 835mm

AquaTrans™ 1000L

20-Year Warranty Code: PTC01000SG


\$1,595*


AguaMove™ 1000L

15-Year Warranty CODE: STC01000SG

\$1,464*****

LiquidLockers[™] \$258 (supplied 30 pcs) LiquidLockers[™] \$288 (fitted 30 pcs)





- » Mounting Pins Provided
- ø455 Lid, Rim, & Seal Assy
- » 1½" MBSP Fitting-Poly (fitted)



1200L

LWH: 1720 x 1230 x 840mm

Mounting Pins Provided

ø455 Lid, Rim, & Seal Assy

» 1½" MBSP Fitting-Poly (fitted)

20-Year Warranty

LiquidLockers™ \$298 (supplied 35 pcs) **LiquidLockers™ \$333** (fitted **35** pcs)

AquaTrans™ 1200L

CODE: PTC01200SG

\$1,760*

20-Year Warranty CODE: PTC01500SG

AquaTrans™ 1500L

LWH: 1720 x 1230 x 1000mm


\$2,050*


1500L

AquaMove™1500L


15-Year Warranty CODE: STC01500SG \$1.895*

LiquidLockers[™] \$386 (supplied 45 pcs) LiquidLockers[™] \$432 (fitted 45 pcs)






- Mounting Pins Provided
- ø455 Lid, Rim, & Seal Assy
- » 1½" MBSP Fitting-Poly (fitted)




- Mounting Pins Provided
- ø255 Lid, Rim, & Seal Assy
- » 1½" MBSP Fitting-Poly (fitted)



» Mounting Pins Provided

*Prices include GST | See page 110 for freight costs

- ø455 Lid, Rim, & Seal Assy
- » 1½" MBSP Fitting-Poly (fitted)



- Mounting Pins Provided
- ø455 Lid, Rim, & Seal Assy
- » 1½" MBSP Fitting-Poly (fitted)

Free Call 1800 816 277 | sales@tti.com.au | www.tti.com.au





Safety Green



Translucent





Opague

(opaque)



Yellow





Orange

5% Colour Change Surchage Applies















2000L

LWH: 2150 x 1410 x 870mm

AquaTrans™ 2000L

Poly Tank with 20-Year Warranty CODE: PTC02000SG


\$2,849*

AquaMove™ 2000L

Poly Tank with 15-Year Warranty CODE: STC02000SG

\$2,660*

LiquidLockers[™] \$425 (supplied 60 pcs) LiquidLockers™ \$475 (fitted 60 pcs)



- Mounting Pins Provided
- » ø455 Lid, Rim, & Seal Assy
- 2" MBSP Fitting-Poly (fitted)

Steel Mounting Frame

\$1,980*

with Pump Plate Forklift Pockets CODE: ASFC02000

\$1.980*




2400L

LWH: 2150 x 1410 x 1140mm

AquaTrans™ 2400L

20-Year Warranty CODE: PTC02400SG \$3,241*

LiquidLockers™ \$638 (supplied 75 pcs) LiquidLockers[™] \$713 (fitted 75 pcs)



- » Mounting Pins Provided
- » ø455 Lid, Rim, & Seal Assy
- » 2" MBSP Fitting-Poly (fitted)

Steel Mounting Frame

with Pump Plate Forklift Pockets CODE: ASFC02000



3000L

LWH: 2430 x 1540 x 1200mm

AquaTrans™ 3000L

20-Year Warranty CODE: PTC03000SG


\$4.244*

AquaMove™3000L

15-Year Warranty CODE: STC03000SG

\$3,656*

LiquidLockers[™] \$765 (supplied 90 pcs) LiquidLockers[™] \$855 (fitted 90 pcs)



- » Mounting Pins Provided
- ø455 Lid, Rim, & Seal Assy
- » 2" MBSP Fitting-Poly (fitted)

Steel Mounting Frame

with Pump Plate forklift pookets CODE: ASFC03000

\$2,993*



4000L

LWH: 2430 x 1540 x 1450mm

AquaTrans™ 4000L

20-Year Warranty CODE: PTC04000SG


\$4,967*

AquaMove™4000L

15-Year Warranty CODE: STC04000SG

\$4,654*****

LiquidLockers[™] \$1,020 (supplied 120 pcs) LiquidLockers[™] \$1,140 (fitted 120 pcs)



- » Mounting Pins Provided
- » ø455 Lid, Rim, & Seal Assy
- » 2" MBSP Fitting-Poly (fitted)

Steel Mounting Frame

with Pump Plate forklift pookets CODE: ASFC03000

\$2,993*



5000L

LWH: 2760 x 2000 x 1400mm

AquaTrans™ 5000L


20-Year Warranty CODE: PTC05000SG \$5,954*****

AquaMove™5000L

15-Year Warranty CODE: STC05000SG

\$5,288*****

LiquidLockers[™] \$1,275 (supplied 150 pcs) LiquidLockers[™] \$1,425 (fitted 150 pcs)




- » Mounting Pins Provided
- ø455 Lid, Rim, & Seal Assy
- » 2" MBSP Fitting-Poly (fitted)

\$3,942*

Steel Mounting Frame

with Pump Plate forklift pookets CODE: ASFC05000



- » Mounting Pins Provided
- ø455 Lid, Rim, & Seal Assy
- » 2" MBSP Fitting-Poly (fitted)

Steel Mounting Frame

with Pump Plate forklift pookets CODE: ASFC05000

\$3,942*

6000L

LWH: 2760 x 2000 x 1540mm

LiquidLockers™ \$1,530 (supplied **180** pcs)

LiquidLockers™ \$1,710 (fitted 180 pcs)

AquaTrans™ 6000L

20-Year Warranty

CODE: PTC06000SG

\$6,980*

Free Call 1800 816 277 | sales@tti.com.au | www.tti.com.au



7000L


LWH: 3390 x 2250 x 1390mm

AquaTrans™ 7000L

Poly Tank with 20-Year Warranty CODE: PTC07000SG

\$7,929*

LiquidLockers™ \$1,785 (supplied 210 pcs)
LiquidLockers™ \$1,995 (fitted 210 pcs)



- » Mounting Pins Provided
- » ø455 Lid, Rim, & Seal Assy
- » 3" MBSP Fitting-Brass
- » Supplied with pins and wedges for easy mounting!

Steel Mounting Frame
with Pump Plate Forklift Pockets
CODE: ASFC07000
\$4,998*



8000L

LWH: 3300 x 1900 x 1850mm

AquaTrans™ 8000L

20-Year Warranty
CODE: PTC08000SG


\$9,763*

AquaMove™ 8000L

15-Year Warranty CODE: STC08000SG

\$8,345*

LiquidLockers[™] \$2,040 (supplied 240 pcs)
LiquidLockers[™] \$2,280 (fitted 240 pcs)



- » Mounting Pins Provided
- » ø455 Lid, Rim, & Seal Assy
- » 3" MBSP Fitting-Brass

Steel Mounting Frame

with Pump Plate forklift pookets CODE: ASFC08000

\$4,998*



10000L

LWH: 3480 x 2250 x 1940mm

AquaTrans™ 10000L


20-Year Warranty
CODE: PTC 10000SG

\$11,588*

AquaMove™ 10000L

15-Year Warranty

\$9,972*



ENLARGED THIK HOLD DETAILS

- » Mounting Pins Provided
- » ø455 Lid, Rim, & Seal Assy
- » 3" MBSP Fitting-Brass

Steel Mounting Frame

with Pump Plate forklift pookets CODE: ASFC07000 \$4,998*

» Mounting Pins Provided

13000L

LWH: 3480 x 2250 x 2310mm

LiquidLockers[™] \$3,358 (supplied 395 pcs)

LiquidLockers[™] \$3,753 (fitted 395 pcs)

AquaTrans™ 13000L

20-Year Warranty

CODE: PTC13000SG

\$13,924*

- » ø455 Lid, Rim, & Seal Assy
- » 3" MBSP Fitting-Brass

Steel Mounting Frame

with Pump Plate forklift pookets CODE: ASFC07000

\$4,998*

New Tipper Tanks!



8

LWH: 3600 x 2100 x 1540mm

AquaTrans™ 8000L

20-Year Warranty
CODE: PTC08000ASG

\$9,763*

LiquidLockers[™] \$2,040 (supplied 240 pcs)
LiquidLockers[™] \$2,280 (fitted 240 pcs)



10000L NE

LWH: 3600 x 2100 x 1880mm

AquaTrans™ 10000L

20-Year Warranty
CODE: PTC10000ASG

\$11,588*

LiquidLockers[™] \$2,550 (supplied 300 pcs) LiquidLockers[™] \$2,850 (fitted 300 pcs)



12000L NEW!


LWH: 3600 x 2100 x 2240mm

AquaTrans™ 12000L

20-Year Warranty
CODE: PTC12000SG

\$13,145*

LiquidLockers[™] \$3,103 (supplied 365 pcs)
LiquidLockers[™] \$3,468 (fitted 365 pcs)




- » Mounting Pins Provided
- » ø455 Lid, Rim, & Seal Assy
- » 3" MBSP Fitting-Brass

Steel Mounting Frame

With Pump Plate forklift pookets CODE: ASFCA08000


\$4,998*



- » Mounting Pins Provided
- ø455 Lid, Rim, & Seal Assy
- » 3" MBSP Fitting-Brass

Steel Mounting Frame
with Pump Plate forklift pookets
CODE: ASFCA08000

\$4,998*



- » Mounting Pins Provided
- ø455 Lid, Rim, & Seal Assy
- » 3" MBSP Fitting-Brass

Steel Mounting Frame
with Pump Plate forklift pookets
CODE: ASFCA08000
\$4.998*



Supplied with 2 eniq Madaes for Easy Mounting **AUSTRALIAN MADE** AND OWNED Features: Impact resistant Low profile for safety **UV** stabilised for years of use Extra thick wall structure Tanks can be drilled and



13000L

LWH: 4310 x 2350 x 1795mm

AquaTrans™ 13000L

20-Year Warranty CODE: PTC13000ASG

\$13,924*

LiquidLockers™ \$3,358 (supplied 395 pcs) LiquidLockers[™] \$3.753 (fitted 395 pcs)



15000L

LWH: 4310 x 2350 x 2040mm

AquaTrans™ 15000L

20-Year Warranty CODE: PTC15000SG

\$16,570*

LiquidLockers[™] \$3,864 (supplied **455** pcs) LiquidLockers[™] \$4.318 (fitted 455 pcs)



17000L


LWH: 4310 x 2350 x 2395mm

AquaTrans™ 17000L

20-Year Warranty CODE: PTC17000SG

\$18,753*

LiquidLockers™ \$4,379 (supplied 515 pcs) LiquidLockers[™] \$4.894 (fitted 515 pcs)




- ø455 Lid, Rim, & Seal Assy
- » 3" MBSP Fitting-Brass

Steel Mounting Frame

CODE: ASFC13000

\$5,444*




- Mounting Pins Provided
- ø455 Lid, Rim, & Seal Assy
- » 3" MBSP Fitting-Brass

Steel Mounting Frame

With Pump Plate forklift pockets CODE: ASFC13000

\$5,444*



- » Mounting Pins Provided
 - » ø455 Lid, Rim, & Seal Assy
 - » 3" MBSP Fitting-Brass

Steel Mounting Frame

With Pump Plate forklift pockets CODE: ASFC13000

\$5,444*

Aqua Delivery

Water Cartage Tank with **Transfer Pump** and **Motor**

Included:

» Tank with Frame

AquaDelivery™ 10000L

with Honda GX200 & 3" Water

- Honda GX200 (Electric Start) Motor with QP303 1000L/min Transfer Pump
- » Lockable Toolbox with 2 x 10m Lengths of **Certified Potable Food Grade Hose**
- » Hydrant Filler Lid with Spring non-return valve



Upgrade Options









Mounting Pins Provided

With Pump Plate forklift pockets

tapped to accept fittings

Mounting Frames and



Specially Designed Mounting Pins Provide the Correct Strength for Securing of Your Tank

Code	Description	RRP*(\$)
ARP001	Set of 4 tank mounting pins 18 x 200mm to suit 500 & 600 Free Standing Tanks & 500, 600, 800 & 1000 Litre Low Profile Tanks	\$ 6 4
ARP002	Set of 4 tank mounting pins 1 8 x 230mm to suit 800 &1000 Litre Free Standing Tanks	\$80
ARP003	Set of 4 tank mounting pins 18 x 260mm to suit 1200 & 1500 litre Low Profile Tanks	\$80
ARP004	Set of 4 tank mounting pins 24 x 260mm to suit 1200, 1500, 7000 & 9000 Litre Free Standing Tanks & 2000, 2400, 3000 & 4000 Low Profile Tanks	\$92
ARP005	Set of 4 tank mounting pins 24 x 330mm to suit 2000, 2400, 3000 & 4000 Litre Free Standing Tanks and 5000 & 6000 Low Profile tanks	\$ 92
ARP006	Set of 6 tank mounting pins 24 x 480mm to suit 8000 litre Free Standing Tank	\$1 5 3
ARP008	Set of 4 tank mounting pins 24 x 480mm to suit 5000,6000, 10000 & 13,000 Litre Free Standing Tanks and 10000 & 13000 Litre Low Profile tanks	\$ 120
ARP009	Mounting kit complete to suit tanks which require ARP008 - includes right angle brackets	\$292
ARP012	Set of 8 tank mounting pins to suit 13000, 15000 & 17000 Litre Low Profile Free Standing Tanks	\$ 320


To suit tanks from 500L to 1000L

Simple to mount SureFit pin system

Pins

Thicker wall steel coupled with unique hot-dip galvanising process provides real toughness and corrosion resistant

Frames standard with forklift pockets from all four sides



Code	Description	Kg	L x W (mm)	RRP* (\$)
ASFCA00500	Steel Frame for 500L & 600L SumpTrans, includes forklift tine pockets on all sides	37	1630 x 1010	\$ 1,95 1
ASFCA00800	Steel Frame for 800L & 1000L SumpTrans, includes forklift tine pockets on all sides	53	1780 x 1110	\$2,106
ASFCA01200	Steel Frame for 1200L & 1500L SumpTrans, includes forklift tine pockets on all sides	72	1780 x 1344	\$2,206

*Disclaimer: Check compatibility with your forklift width between tynes

To suit tanks from 2000L to 17000L

Forkliftable for easy lift on, lift off convenience

Simple to mount SureFit pin system

Thicker wall steel coupled with unique hot-dip galvanising process provides real toughness and corrosion resistant

Choose from tank only frame or frame with pump plate



Code	Description	Kg	L x W (mm)	RRP* (\$)
ASFC02000	Steel Frame for 2000L & 2400L AquaTrans™	190	2910 x 1410	\$1,980
ASFC03000	Steel Frame for 3000L & 4000L AquaTrans™	218	3020 x 1355	\$2,993
ASFC05000	Steel Frame for 5000L & 6000L AquaTrans™	302	3500 x 1820	\$3,942
ASFC07000	Steel Frame for 7000L, 10000L & 13000L AquaTrans™	410	4100 x 2200	\$4,998
ASFC08000	Steel Frame for 8000L AquaTrans™	428	4100 x 1844	\$4,998
ASFCA08000	Steel Frame for 8000L, 10,000L & 12,000L Tipper AquaTrans	428	4210 x 2000	\$4,998
ASFC13000	Steel Frame for 13000L, 15000L & 17000L AquaTrans™	480	5300 x 2200	\$5,444

*Disclaimer: Check compatibility with your forklift width between tynes

TansLoc[™] Heavy-Duty Free Standing

Fully Drainable Modular Tank System

Free standing design allows for mounting to flat deck truck/trailer. Unique 2 x 6" connections between modules for even filling/draining. Fully baffled every 3000 Litres to minimise surge (optional liquid lockers). Low profile design for improved safety



Expandable Capacity

Drain Independently

Low profile design

2 x 6" connections

improved safety

No Rust **√**

InterLoc™

Fully Drainable Modular Tank System

Fully Baffled

(Every 2500 litres)

Exclusive use of polyethylene eliminates rust problems and significantly reduces weight resulting in increased payload and durability

The Answer to Your **Chemical Transport Needs** Modules can be plumbed to drain independently or

Drainable **Tanks**

Have the most extraordinary impact-resistant qualities and are impervious to the toughest conditions

Incorporates in-built **Tuff-Flex** technology to allow real flex to easily handle any work environment



SumpTrans

Fully-Drainable Chemical Tanks





TTi's SumpTrans™ Tank use specially blended poly-ethylene to handle the broadest range of liquids possible from plain water to the harshest chemicals – ask for a copy of our compatibility chart!

Large tank opening for fast, easy filling. Sealed with 455mm lid with labvrinth breather

containment lip on all spray tanks above Easy to read calibrations for measurement of contents (coloured for catalogue purposes)

Strong and durable, impact resistant, UV stabilised polyethylene

Manufactured from UV stabilised polyethylene specifically formulated for chemical spray

Basket filter supplied with tanks 200 Litres and larger

Safe and secure mountina pin system



Full drainage sump Smooth interior and integral sump enables complete evacuation and decontamination of

Available with robust hot-dip aalvanised steel mounting frame for correct tank support and ease of mountina

What to look for

When Selecting a Spray Tank

- **Smooth-walled interior** design incorporating a fully integrated sump that ensures complete evacuation and decontamination of the tank to maximise liquid usage and simplify cleaning
- ✓ Are manufactured to dual Australian Standards (AS2070:1999 and AS4766:2006) making TTi's of the highest quality, toughest & most durable tank on the market
- **✓** Include a **positive draining tank base with sump** providing a flooded suction regardless of terrain
- ✓ Are impervious to most chemicals
- ✓ Heavy-duty tanks with load rating up to 1.3 Specific Gravity (SG)
- **Australian made** for Australian conditions
- **₹ 20-year warranty** buy with confidence

Tank Frames All spray tanks require a steel mounting frame to give sumps clearance for

access. Thicker wall steel coupled with our hotdip galvanised process provides real toughness for a long useful life.



Get the Tank in Your Corporate COLOUR



sump clearance

Note: Tanks not mounted in accordance with our specifications may void warranty

full drain sump





Call one of our friendly team today!

1800 816 277

*Prices include GST | See page 110 for freight costs



SumpTrans[™] 100L


Bare Tank with 20-Year Warranty 815 x 450 x 595 (LWH) CODE: PTSS00100SG

\$465*

SumpTrans™ 100L with Frame

Tank Fitted in Frame 815 x 450 x 600 (LWH) CODE: PTSS00100KSG \$**794***





- ø150 Lid Assembly Complete
- » 1" MBSP Fitting-Poly
- » 100 Litre Strap Tank Only



200L


SumpTrans™ 200L (Low Profile)

Bare Tank with 20-Year Warranty 960 x 690 x 550 (LWH) CODE: PTSP00200SG

\$690*

SumpTrans™ 200L with Frame

Tank Fitted in Frame 815 x 450 x 600 (LWH) CODE: PTSP00200KSG \$882*



- Skid Frame
- ø255 Filter Basket
- ø255 Lid Assembly Complete
- » Stainless Steel Screws
- » ¾" MBSP Fitting-Poly
- 200 Litre Pin Tank Only



200L


SumpTrans™ 200L

Bare Tank with 20-Year Warranty 940 x 600 x 750 (LWH) CODE: PTSS00200SG

\$679*

SumpTrans[™] 200L with Frame

Tank Fitted in Frame 940 x 600 x 760 (LWH) \$942*



- Skid Frame
- ø255 Filter Basket
- ø255 Lid Assembly Complete
- » 1½" MBSP Fitting-Poly
- » 200 Litre Strap Tank Only



300L


SumpTrans™ 300L

Bare Tank with 20-Year Warranty 1270 x 615 x 730 (LWH) CODE: PTSS00300SG

\$840*

SumpTrans™ 300L with Frame

Tank Fitted in Frame 1270 x 6015 x 750 (LWH) CODE: PTSS00300KSG



- Skid Frame
- ø255 Filter Basket
- Stainless Steel Screws
- » Straps Only (pair)
- » 300 Litre Strap Tank Only



300L

SumpTrans™ 300L


Bare Tank with 20-Year Warranty 940 x 600 x 950 (LWH) CODE: PTSS00300ASG

\$840*

SumpTrans™ 300L with Frame

Tank Fitted in Frame 940 x 615 x 965 (LWH) CODE: PTSS00300AKSG

\$1.145*



- Skid Frame
- Straps Only (pair)
- » ø255 Lid Assembly Complete
- ø255 Filter Basket
- Stainless Steel Screws
- » 1½" MBSP Fitting-Poly
- » 300 Litre Strap Tank Only

400L

SumpTrans™ 400L (Low Profile)

Bare Tank with 20-Year Warranty 1145 x 850 x 680 (LWH) CODE: PTSP00400SG

\$967*

SumpTrans[™] 400L with Frame

Tank Fitted in Frame 1230 x 850 x 710 (LWH) CODE: PTSP00400KSG \$1.580*





- 255 Filter Basket Stainless Steel Screws
- ø255 Lid Assembly Complete
- » Pump compartment cover
- » ¾" MBSP Fitting-Poly » 400 litre Pin tank only
- » 4 x 8x100mm BSW HED HD Bolt
- » 8 x 8mm washers, 4 x 8mm
- » nyloc nuts



400L


SumpTrans™ 400L

Bare Tank with 20-Year Warranty 890 x 820 x 960 (LWH) CODE: PTSS00400SG

\$973*

SumpTrans™ 400L with Frame

Tank Fitted in Frame 890 x 820 x 975 (LWH) CODE: PTSS00400KSG





- ø255 Lid Assembly Complete
- ø255 Filter Basket
- Stainless Steel Screws
- » 1½" MBSP Fitting-Poly
- Straps Only (pair)
- 400 Litre Strap Tank Only



500L

SumpTrans[™] 500L


Bare Tank with 20-Year Warranty 1250 x 1070 x 590 (LWH) CODE: PTSP00500SG

\$1,092*

SumpTrans™ 500L with Frame

Tank Fitted in Frame 1250 x 1070 x 590 (LWH) CODE: PTSP00500KSG

\$1.740*




Skid Frame

- ø255 Lid Assembly Complete
- ø255 Filter Basket
- » Stainless Steel Screws
- » 1½" MBSP Fitting-Poly
- » 4 Pins 18 x 200
- 500 Litre LP Tank Bare









» Pump Compartment Cover

- » Stainless Steel Screws
- » Straps Only (pair)






600L

SumpTrans™ 600L


Bare Tank with 20-Year Warranty 1200 x 840 x 970 (LWH) CODE: PTSS00600SG \$1,100*

SumpTrans™ 600L with Frame

Tank Fitted in Frame 1200 x 840 x 1000 (LWH) CODE: PTSS00600KSG \$1,730*



- ø255 Lid Assembly Complete
- ø255 Filter Basket
- » Stainless Steel Screws
- » 1½" MBSP Fitting-Poly
- » Straps Only (pair)
- Skid Frame





600L

SumpTrans™ 600L

Bare Tank with 20-Year Warranty 1250 x 1070 x 750 (LWH) CODE: PTSP00600SG \$1,189*

SumpTrans™ 600L with Frame

Tank Fitted in Frame 1250 x 1070 x 790 (LWH) CODE: PTSP00600KSG \$1,910*

- ø455 Lid Assembly Complete
- » ø455 Filter Basket
- » Stainless Steel Screws
- » 1½" MBSP Fitting-Poly
- » Skid Frame
- » 4 Pins 18 x 200
- » 600 Litre Tank Bare




800L


SumpTrans™ 800L

Bare Tank with 20-Year Warranty 1430 x 1220 x 770 (LWH) CODE: PTSP00800SG \$1,403*

SumpTrans™ 800L with Frame



- ø455 Lid, Rim, & Seal Assy
- ø455 Filter Basket
- » Stainless Steel Screws
- » 1½" MBSP Fitting-Poly
- Skid Frame
- » 4 Pins 18 x 200






1000L

SumpTrans™ 1000L

Bare Tank with 20-Year Warrantv 1430 x 1220 x 940 (LWH) CODE: PTSP01000SG \$1,545*

SumpTrans™ 1000L with Frame

Tank Fitted in Frame 1430 x 1220 x 980 (LWH) CODE: PTSP01000KSG **\$2,471***



- » ø455 Lid, Rim, & Seal Assy
- ø 455 Filter Basket
- » Stainless Steel Screws
- » 1½" MBSP Fitting-Poly
- » Skid Frame
- » 4 Pins 18 x 200
- » 1000 Litre Tank Bare



1200L


SumpTrans™ 1200L


Bare Tank with 20-Year Warrantv 1700 x 1200 x 950 (LWH) CODE: PTSP01200SG \$1,771*

SumpTrans™ 1200L with Frame

Tank Fitted in Frame 1700 x 1200 x 990 (LWH) CODE: PTSP01200KSG

\$2,841*





- ø455 Lid, Rim, & Seal Assy
- ø455 Filter Basket
- » Stainless Steel Screws
- » 1½" MBSP Fitting-Poly
- Skid Frame
- » 4 Pins 18 x 260
- » 1200 Litre Tank Bare



1500L


SumpTrans™ 1500L

Bare Tank with 20-Year Warranty 1700 x 1200 x 1150 (LWH) CODE: PTSP01500SG \$2,186*

SumpTrans™ 1500L with Frame

Tank Fitted in Frame 1700 x 1200 x 1190 (LWH) CODE: PTSP01500KSG \$3,276*





- ø455 Lid, Rim, & Seal Assy
- ø455 Filter Basket
- » Stainless Steel Screws
- » 1½" MBSP Fitting-Poly
- Skid Frame
- » 4 Pins 18 x 260
- - » 1500 Litre Tank Bare



2000L


SumpTrans™ 2000L

Bare Tank with 20-Year Warranty 2150 x 1410 x 1150 (LWH) CODE: PTSP02000SG \$2,787*

SumpTrans™ 2000L with Frame

Tank Fitted in Frame 2150 x 1410 x 1180 (LWH) CODE: PTSP02000KSG

\$4,326*



- » ø455 Lid, Rim, & Seal Assy
- ø455 Filter Basket
- » Stainless Steel Screws
- » 2" MBSP Fitting-Poly
- » Skid Frame
- » 4 pins 24 x 260
- 2000 Litre Tank Bare




2400L

SumpTrans™ 2400L

Bare Tank with 20-Year Warranty 2150 x 1410 x 1310 (LWH) CODE: PTSP02400SG \$3,271*

SumpTrans™ 2400L with Frame

Tank Fitted in Frame 2150 x 1410 x 1360 (LWH) CODE: PTSP02400KSG



- ø455 Filter Basket
- » ø455 Lid, Rim, & Seal Assv
- ø455 Lid Seal Only
- Stainless Steel Screws
- » 2" MBSP Fitting-Poly
- » 4 pins 24 x 260
- » 2400 Litre Tank Bare




3000L

SumpTrans™ 3000L

Bare Tank with 20-Year Warranty 2430 x 1540 x 1280 (LWH) CODE: PTSP03000SG \$4,342*

SumpTrans™ 3000L with Frame | SumpTrans™ 4000L with Frame

Tank Fitted in Frame 2430 x 1540 x 1350 (LWH) CODE: PTSP03000KSG



Skid Frame

- ø455 Filter Basket
- » ø455 Lid, Rim, & Seal Assv
- ø455 Lid Seal Onlv
- » Stainless Steel Screws
- » 2" MBSP Fitting-Poly
- » 4 pins 24 x 260
- 3000 Litre Tank Bare



4000L

SumpTrans™ 4000L

Bare Tank with 20-Year Warranty 2430 x 1540 x 1530 (LWH) CODE: PTSP04000SG \$4,904*

Tank Fitted in Frame 2430 x 1540 x 1550 (LWH) CODE: PTSP04000KSG (i)



Skid Frame

- ø455 Filter Basket
- ø455 Lid, Rim, & Seal Assv
- ø455 Lid Seal Only
- Stainless Steel Screws
- » 2" MBSP Fitting-Poly
- 4 pins 24 x 260
- 4000 Litre Tank Bare




5000L

SumpTrans[™] 5000L

Bare Tank with 20-Year Warranty 2760 x 2000 x 1520 (LWH) CODE: PTSP05000SG \$5,697*

Tank Fitted in Frame 2760 x 2000 x 1620 (LWH) CODE: PTSP05000KSG





Skid Frame


- ø455 Filter Basket
- ø455 Lid, Rim, & Seal Assv
- ø455 Lid Seal Only

4 pins 24 x 330

- » Stainless Steel Screws
- » 2" MBSP Fitting-Poly
- 5000 Litre Tank Bare

SumpTrans™ 5000L with Frame

Tank Fitted in Frame 2760 x 2000 x 1770 (LWH) CODE: PTSP06000KSG



Skid Frame

6000L

SumpTrans[™] 6000L

2760 x 2000 x 1670 (LWH)

CODE: PTSP06000SG

\$7,130*

\$10,036*

Bare Tank with 20-Year Warranty

SumpTrans™ 6000L with Frame

- ø455 Filter Basket
- ø455 Lid, Rim, & Seal Assy
- ø455 Lid Seal Only
- Stainless Steel Screws
- » 2" MBSP Fitting-Poly
- » 4 Pins 24 x 330
- 6000 Litre Tank Bare



100001


SumpTrans™ 10000L

Bare Tank with 20-Year Warranty 3480 x 2250 x 2050 (LWH) CODE: PTSP10000SG \$12,175*

SumpTrans™ 10000L with Frame

Tank Fitted in Frame 3480 x 2250 x 2100 (LWH) CODE: PTSP10000KSG

\$15,697*



Skid Frame

- ø455 Filter Basket
- ø455 Lid, Rim, & Seal Assv
- ø455 Lid Seal Only
- » Stainless Steel Screws
- » 2" MBSP Fitting-Poly
- » 4 Pins 24 x 480
- » 10000 Litre Tank Bare



SumpTrans[™] 13000L


Bare Tank with 20-Year Warranty 3480 x 2250 x 2420 (LWH) CODE: PTSP13000SG

\$14,630*

SumpTrans™ 13000L with Frame

Tank Fitted in Frame 3480 x 2250 x 2470 (LWH) CODE: PTSP13000KSG

\$18,153*





- ø455 Filter Basket
- ø455 Lid, Rim, & Seal Assy
- ø455 Lid Seal Only
- Stainless Steel Screws
- » 2" MBSP Fitting-Poly
- » 4 Pins 24 x 480
- » 13000 Litre Tank Bare

Sumplions'

Accessories

Selecting a lid for your tank has never been easie

Simply select the size and choose the style that fits your application.

Add a mesh strainer to provide the first level of filtration protecting your water.

Tank Level Kit

See your tank liquid level at a glance CODE: ARNO01

\$**46***

Hydrant Fill Lid

Ensure your new water cart complies with local regulations by adding this filling option

3" Hydrant Fill Lid

with 1-way valve and camlock CODE: ARHO80F \$**1**,953*

80mm Hydrant Funnel Kit

Brass

Tank Outlet Fittings




Flanged Poly

	ged Poly elet Fittings	
code	Description	rrp*(\$)
ARFP020	3/4" Tank Outlet - Flanged Poly	\$1 6 *
ARFP025	1" Tank Outlet - Flanged Poly	\$ 16 *
ARFP032	11/4" Tank Outlet - Flanged Poly	\$18*
ARFP038	1½" Tank Outlet - Flanged Poly	\$ 27 *
ARFP050	2" Tank Outlet - Flanged Poly	\$31*
ARFP050R	2" Tank Outlet - Reverse Thread with 2 Seals Supplied M & F Threads	\$47*



code	Description	rrp*(\$)
ARLP150AV	Female Thread Tank Lid (150mm) - with Spring Breather Valve & Gasket	\$29*
ARLP250VSR	Male Thread 'Smoothe-Line Lid (255mm) - with Fixed Ring; Labyrinth Double Breather Valve	\$ 62 *
ARLP450VSS	Screw Tank Lid (455mm) - with Rim and Seal; Fixed Labyrinth Double Breather Valve	\$11 0 *
ARLP450VSR	Hinged Tank Lid ($455mm$) - with Rim and Seal 180° ; with Fixed Ring; Labyrinth Breather Valve	\$11 0 *
ARLS450VSR	450mm Stainless Steel Hinged Lid	\$ 414 *
TTI30065	450mm Aluminium Lid	\$389*
ARK200	Basket Filter (250mm) - To suit 255mm Lid; 18# Screen 210mm ø x 235mm deep	\$ 51 *
ARK400	Basket Filter (450mm) - To suit 455mm Lid; 18# Screen 410mm ø x 235mm deep	\$ 66 *
ARB195	BallBaffle™ Ø195mm - 1 ball per 7 Litres	\$5*
LLB380	LiquidLocker™ Ø380mm - 1 ball per 33 Litres	\$8.5*



16L Rechageable; 2.4L/min, 70psi Pump; Speed Control CODE: SVB0016L0024

Trolley Only

CODE: ATK0016L \$59*

16 Litre capacity tank, ergonomically designed for maximum carrier

- Padded shoulder straps and backrest reduces user fatigue
- Spray flow rate control for spray accuracy and reduced chemical wastage
- Over two hours of continuous spraying from a rechargeable sealed lead acid 12 volt battery
- » No more frustrating tangles with our kink resistant hose
- **Double filtration system** prevents time wasting blockages
- Reliable and effective 2.4 L/min 70psi pump for maximum spray capacity
- On-off switch control with fuse protection
- » Supplied with battery charging kit



Hand Operated Compression Sprayers

- » Minimum effort ergonomic handle
- » Large filter with viton seals in lance handle and rustproof spring
- » Pressure release slot safety system
- » Fibreglass lance (5 Litre and 6 Litre only)
- » Connector for accessories
- » Adjustable conical nozzle
- » Easy to use pressurisation/carrying handle
- » Safety valve with automatic release of excess pressure
- » Polypropylene tank, lightweight and very strong

Less Pumping - More Spraying





Pressure Regulator Features

Uniformity and quality of treatments Reduced water and product consumption

Environmentally friendly

Reduction of pumping frequency



unction 1.5 bar:

I Inter[™] Evo 12L Knapsack Sprayer CODE: PGI0012LE \$182*

I Inter[™] Evo 16L Knapsack Sprayer CODE: PGI0016LE \$198*

Industrial Elite[™] Sprayers

Multiple Uses Across Many Industries

These special sprayers are amongst the toughest on the market, and can be used safely in a wide variety of situations and conditions.

- » Made of special, high resistance materials for use with various chemicals
- » Viton seals for excellent chemical resistance and durability
- » See liquid level at a glance with tank graduations
- » Pressure safety valve ensures sprayer is protected from over pressurisation

Ideal for:

Truck Washing **Brick Cleaning Carpet Cleaning** Wallpaper Stripping Animal Husbandry

Amenity Cleaning Disinfecting

Degreasing



Industrial Sprayer

CODE: PGK0001L

Industrial Sprayer CODE: PGK0006L \$189*





*Prices include GST | See page 110 for freight costs



.....

Inter™ 12L Industrial Sprayer CODE: PGK0012L **\$245***

Inter™ Elite Accessories

Quick Fit Accessories for Maximum Spray Options

Spray Hoods

Hit your target every time without collateral damage, with the Inter Elite Spray Hoods.



CODE: ATA00B \$44*

CODE: ATA00C \$35*

FORGET

CODE: ATA00A

Pressure Regulator

Uniformity and quality of treatments Reduced water and product consumption Environmentally friendly Reduction of pumping frequency



ction 1.5 bar



nsecticide-fungicide



Herbicide Spray Nozzles

Consistent application rates for spraying

Evolution Lance

Complete lance to suit Inter Evo 12/16

Flexible Pipe

250mm long flexible pipe Can be manually moulded for specialised applications.

Elbow

for Fan Nozzle CODE: ATAOOF \$25*

w/ Low Volume Herbicide Nozzle CODE: ATA00G

\$41*

L.V. Elbow

Evolution Lance

CODE: AHL011 **\$60***

Flexible Pipe 250mm Lona CODE: ATA001 \$28*

Flexible Double Nozzle

Tubes can be manually moulded for specialised spraying requirements. Two models available, one with adjustable cone nozzles (H) and one with fan nozzles (HF)

· Used for basal bark spraying and ant block treatments

with Adjustable Cone CODE: ATAOOHC


\$55*****

I with Fan Nozzle

\$55*

Telescopic Lance

Gives your sprayer extendible length to reach hard to access areas.



l Versatile Lance

460mm with 10mm Hose Tail CODE: AHL002 \$60*

CODE: AHL003 \$92*

Telescopic Lance

Spray Booms

Three boom types to choose from to speed up your ground coverage. Lightweight for ease of use.

Extendible Double

Nozzle Boom CODE: ATAOORF

\$72*

Quadruple Nozzle Boom

with Cone Spray Nozzles 1.5m CODE: ATA00EC

\$98*

Quadruple Nozzle Boom

with Fan Spray Nozzles 1.5m CODE: ATA00EF \$113*

Lance Extensions

Increase your spray reach with these lightweight extensions. Ideal for reaching higher targets from the safety of the ground.

CODE: ATA00D

\$26*

1m Extension (Aluminium) CODE: ATAOOK \$43*

1.5m Extension CODE: ATAOOL \$63*

| Seals kit for Inter 7 / 9

19*

| Seals kit for Inter Green 12 / 16 CODE: CGKI0012L





- » UV stabilised poly tank for long life
- » Reliable 3.8L/min 40psi pump ideal for spot spraying
- » Spray lance clips for secure lance storage
- » 4.5 metres of spray hose for extra reach
- » Metal spray lance with adjustable nozzle for range of spraying options
- » 2.4 metre electrical cables with battery clips
- » Drain plug in tank for easy cleaning
- » Cap has anti-loss strap

WeedControl™ 55L

12v Spot Sprayer 3.8L/min 40psi; Spray Gun Dim: 865 x 390 x 345 (mm) CODE: SVS0055L0038



WeedControl 12v Spot Sprayers

with 8.3 L/min 70psi pump

- » 55L strong UV Stabilised poly tank
- » 8.3L/min 70psi EverFlow pump
- Professional PowerJet spray gun with ac brass nozzle
- » Drain bung for easy rinsing and cleaning
- » Pump capability to run a small boom see page 37
- » Provision for tie down straps
- » Moulded inserts underneath tank for securing to trailer kit
- » 12-month pump warranty
- » 4.5m x 10mm spray hose







WeedControl™ 55L

12v Spot Sprayer 8.3L/min; 70psi with Spray Gun Dim: 865 x 390 x 345 (mm) CODE: \$V\$0055L0077

WeedControl™ 95L

12v Spot Sprayer 8.3L/min; 70psi with Spray Gun Dim: 865 x 390 x 435 (mm) CODE: SVS0095L0077

*Prices include GST | See page 110 for freight costs

Spot Sprayers

with **8.3 L/min** pump and Powerjet Spray Gun



Lid saver prevents loss of lid

Clips for safe spray gun

Powerjet spray gun with adjustable brass nozzle for accurate spot spraying

Easy cleaning tank design with drain plug. Cap has anti-loss strap

WeedControl™ 150L

Dim: 900 x 620 x 500 (mm)

CODE: SVS0150L0077

\$786*



2.4 metre electrical cables with switch and battery clips for quick connection to

Fitted with 8.3L/min 70psi EverFlo pump delivering strong performance across a range of spraying applications



Optimal Spray Control



exclusive pressure Scan to see regulator system fitted as standard

Extra value with our

add a trailer kit

See page 70 for spare parts



12v Spot Sprayer 8.3L/min; 70psi with Spray Gun Dim: 900 x 620 x 650 (mm) CODE: \$V\$0225L0077

\$971*



Free Call 1800 816 277 | sales@tti.com.au | www.tti.com.au

12v Spot Sprayer 8.3L/min; 70psi with Spray Gun

WeedControl*

Versatile and Efficient Spot Sprayers



Standard Trailers

Standard drawbar for smooth towing suitable for any mower

- Solid rubber tyres to eliminate punctures
- Mounted on sturdy powder coated trailer for lawn spraying
- Reliable Everflo 8.3 L/min 70psi pump with regulator for spray pressure control
- 4.5 metres of hose & Powerjet spray gun for spot spraying applications
- » 2 metre boom standard. Optional upgrade to 3 or 4 metre boom.

WeedControl™ 55L

12v Spot Spray Trailer with 2m Boom CODE: SVT0055L0077B2 \$880*

36 *Prices include GST |

WeedControl™ 95L

12v Spot Spray Trailer with 2m Boom CODE: SVT0095L0077B2

\$953*

WeedControl™ 55L

Zero-Turn Trailers

zero turn mowers

Long drawbar for extra-sharp turn-

ing - up to 90° - most suitable for

12v Spot Spray Trailer with 2m Boom CODE: SVT0055L0077ZB2

\$880*

WeedControl™ 95L

12v Spot Spray Trailer with 2m Boom CODE: SVT0095L0077ZB2 \$953*

WeedControl™ 150L

spraying applications

ATV Trailers

12v Spot Spray ATV Trailer with 3m Boom CODE: SVT0150L0077B3

\$2.118*

WeedControl™ 225L

150L and **225**L

12v Spot Spray ATV Trailer with 3m Boom CODE: SVT0225L0077B3 \$2,315*

Large pneumatic tyres for rough handling rough terrain - suitable for mowers and ATV's

Reliable Everflo 8.3 L/min 70 psi pump with

4.5 metres of hose & Powerjet spray gun for spot

» Spray boom included. Optional 2, 3 or 4 metre boom

regulator for spray pressure control

» 16" x 6.5" - 8, 4 ply pneumatic tyres

WeedControl[™] Skid Sprayers

Versatile and Efficient Spot Sprayers







SAFE WITH SAFE WITH SAFE WITH HERBICIDES PESTICIDES FUNGICIDES



Skid Mount

WeedControl™ 150L with No Boom

CODE: SVK0150L0077 \$1,334*

with 4m Boom CODE: SVK0150L0077B4 \$1.694*

All-in-one Spray Units

For Side-by-Sides with 8.3L/min 70psi; 12v Pump

- » Use for UTE or UTV mounting
- » 2 sizes of sprayers: **150 Litre** or **225 Litre**
- » Reliable EverFlo 8.3L/min 70psi pump
- Pressure regulator for accurate spray control
- » Sturdy powder coated steel frame with hose wrap facility
- » Add an optional boom and mounting kit as required for spraying larger areas
- 4.5 metres of hose with Powerjet spray gun for spot spraying applications
- Quality Powerjet spray gun with stainless steel & viton components and adjustable brass nozzle
- 2.4 metres of electrical cables with on/off switch & battery clips and in-line fuse

Choose Any of These Booms

To Complete Your Spray Package

- Fitted with deflector type spray nozzles at 1 metre spacings
- 3 metre and 4 metre booms have spring loaded positive action breakaway & vertical fold capacity
- Powder coated steel construction
- Some assembly required

3 Metre Boom 3m Spray Width 4 Metre Boom 4m Spray Width CODE: ABS04 \$382

2 Metre Boom

2m Spray Width

CODE: ABS02

WeedControl™ 225L with No Boom

> WeedControl™ 225L with 4m Boom CODE: SVK0225L0077B4

\$1,524*

\$1,885*****

Free Call 1800 816 277 | sales@tti.com.au | www.tti.com.au

OnTray"

Popular and Versatile UTV Sprayer

- » Fully drainable OnTray slip-on combo sprayer unit
- » 6m x 10mm spray hose and adjustable gun
- » 7.5L/min 100psi Delavan protected with pressure regulator and gauge!



OnTray[™] 100L 7.5 L/min, 100psi pump

Dim: 815 x 550 x 645 (mm) CODE: PVT0100LK0083 \$1.532*

OnTray™ 200L

7.5 L/min, 100psi pump Dim: 940 x 700 x 782 (mm) CODE: PVT0200LK0083 \$1.765*

OnTray™ 300L

7.5 L/min, 100psi pump Dim: 940 x 700 x 982 (mm) CODE: PVT0300LK0083 \$1,993*

OnTray™ 400L

7.5 L/min, 100psi pump Dim: 976 x 952 x 1019 (mm) CODE: PVT0400LK0083 **\$2.285***

Scan to see this product

Boom Options

Option #1

Boom Tech Nozzle Kit CODE: ABT001 \$365*

Option #2

HitchIt Hayman Reece Attachment with Boomless Nozzle CODE: ABK05-F

\$436*****

Option #3

HitchIt Hayman Reece Attachment with Versatile Boom

Reel Option | 15 Meter Reel

with 10mm Hose CODE: PVTREEL \$397*



Strike UTV Sprayers

'EASY FLOW 100PSI PUMP

Without **Hose Reel**

Strike[™] 200L

200 Litre with 60psi Pump DIM: 1055 X 700 X 580 (MM) CODE: PVQ0200LK0076 1.340*

Strike[™] 400L

400 Litre with 60psi Pump DIM: 1200 X 800 X 700 (MM) CODE: PVQ0400LK0076 \$2,099*

Scan to see

ReelStrike[™] Sprayers

Guaranteed Performance Popular 200 & 400 Litre

- 7.5L/min 100psi Delavan pump
- Quick attach suction filter
- Quick attach pressure regulator and gauge
- Pump mounted under cover for protection
- Powerjet spray gun
- Easy flow drainage system with outlet bung for quick cleaning
- 3.6 m of electrical leads with lighter adaptor, fuses & on/off switch
- 255mm Lid size
- 30 metres of 10mm spray hose and swivel connectors (optional)
- Poly hose reel mounted on galvanised frame (optional)

With **Hose Reel**

ReelStrike[™] 200L

30m Hose Reel: 100psi Pump DIM: 1055 X 700 X 1100 (mm) CODE: PVQ0200LK0076H3 \$2.050*

ReelStrike[™] 400L

30m Hose Reel; 100psi Pump DIM: 1200 X 800 X 1220 (mm) CODE: PVQ0400LK0076H3 \$2.931*

Add a Boom

See page 38

Free Call 1800 816 277 | sales@tti.com.au | www.tti.com.au

Exciting New

OnDeck[™] 300L

Purpose-built **UTV Sprayer**



OnDeck™ 300L
with Honda GX200 & SuperReel™ 50m
22L/min Pump; 30m Hose Reel
CODE: PUD0300L0220Q50

OnDeck[™]
Tank Size Options





OnDeck™ 150L

\$6.955*****

OnDeck™ 300L
"Compact"

OnDeck™ 300L

COMPACT Edition

Dim (LWH): **970** x **1100** x **850**mm

Fits UTVs including Kubota, Polaris, Honda, Can-Am, Kawasaki, Yamaha, CFMoto, & More!



Main Features:

- 20-Year tank warranty
- 3L or 10L (compact) Fresh Water bottle for hand-washing
- **V** Unique low profile design
- **✓ Drain outlet** fitted for easy cleaning
- Site level tube fitted
- Sturdy hot-dip galvanised steel frame (300L only)
- Australian made **UV stabilised poly tank** with fully drainable **sump for easy cleaning** and maximum use of spray mix (300L)

150 Litres

Dim (LWH): 730 x 950 x 500mm



OnDeck™ with 12v Pump

7.5L/min 60psi 12v Pump; 6m Hose CODE: PUD0150L076 \$1,339*



OnDeck™ 12v Pump with Reel

7.5L/min 100psi 12v Pump; 30m Hose Reel CODE: PUD0150L076H3 \$1,969*

300 Litres

Dim (LWH): 1000 x 1250 x 600mm Dim (LWH): 970 x 1100 x 850mm (Compact)





OnDeck™ with 12v Pump

7.5L/min 100psi 12v pump; 30m Hose Reel CODE: PUD0300L076H3 CODE: PUDA0300L076H3 (COMPACT)

\$ 2,427*



OnDeck™ with Honda GX35

12L/min Pump Kit; 30m Hose Reel CODE: PUD0300L0120H CODE: PUDA0300L0120H (COMPACT) \$3.069*



OnDeck™ with Honda GX200

22L/min Pump; 30m Hose Reel CODE: PUD0300L0220H3 CODE: PUDA0300L0220H3 (COMPACT) \$4,615*



OnDeck™ with Honda GX50

210L/min Pump; 18m Fire Hose CODE: PFD0300LZS CODE: PFDA0300LZS (COMPACT)

TopCrop[']

Ultimate Slip-On Field Sprayers with 22L/min Pump and 30m Hose and Reel







TopCrop[™] 400L DIM: 1489 X 970 X 1100 (MM) CODE: PUFS0400L0220H3 \$5,465*



CODE: PUF0500L0220H3 \$5,565*



\$5,705*

TopCrop™ 800L DIM: 1750 X 1430 X 770 (MM) CODE: PUF0800L0220H3

\$6.168*****

DIM: 1750 X 1430 X 1000 (MM) CODE: PUF1000L0220H3

Need a galvanised boom as well?

I 4m Boom

\$1.579*

Galvanised Steel with Boom Bracket Arms

Galvanised Steel with Boom Bracket Arms CODE: ABM060-F

I 6m Boom

I 8m Boom CODE: ABM080-F

TopCrop™ 1000L

SpotPro[™]

When You Need a Little More...

SpotPro[™] Motorised Sprayers

with 12 L/min 360psi pump; 30m Hose and Reel

- » UV stabilised polyethylene tank for long life
- » Compact space saving design
- » 30m of 8mm hose with reel
- » Reliable genuine GX35 Honda 4 stroke motor
- » Pressure regulator and gauge for accurate spraying
- » 12L/min 360psi pump
- » Easy flow drainage system for quick cleaning

SpotPro™ 220L

12L/min pump; 30m hose & reel DIM: 925 X 710 X 910 (MM) CODE: SU0220L0120H

\$2,419*****

SpotPro[™] 400L

With Spray Marshal Pump Kit DIM: 1620 X 710 X 910 (MM) CODE: SU0400AL0120H

*Prices include GST | See page 110 for freight costs

\$2,924*



» Australian made UV stabilised poly tank with fully draining sump for easy cleaning & maximum use of spray mix

- Genuine Honda GX35 4 stroke motor for proven reliability
- 30m of 8mm hose with reel for versatility
- Glycerin filled pressure gauge
- » Spray gun has adjustable turbo atomiser for full range of spray requirements
- Hot-dip galvanised steel frame





SpotPro™ Deluxe 400L





TopCrop[®]

Field Sprayers

Still the Best in the Field

- » Choice of Bertolini pumps and regulators to suit a variety of different applications
- » Quality filtration system with check valve for easy cleaning in the field
- » Low-profile design keeps centre of gravity as low as possible for added stability in steep terrain
- » Centred sump to retain flooded pump suction in all types of situations



TopCrop™ 600L

\$4.210*

CODE: PUF0600L0220H3

\$6.367*****

\$1.790*****

Boom Bracket Arms \$2,186*****





TopCrop™ Sprayer with Remote Auto-Rewind SuperReel™

Code	Description	L x W x H (mm)	RRP* (\$)
PUFS0400L0340Q1	TopCrop™ 400L Tank (Short) , 34L/min 40 bar (580psi) Pump, GX200 Honda engine, 100m Remote SuperReel™	1800 x 970 x 1160	\$10,393
PUF0500L0340Q1	TopCrop™ 500L Tank, 34L/min 40 bar (580psi) Pump, GX200 Honda engine, 100m Remote SuperReel™	2030 x 1070 x 690	\$10, 5 70
PUFS0600L0340Q1	TopCrop™ 600L Tank (<i>Short</i>), 34L/min 40 bar (580psi) Pump, GX200 Honda engine, 100m Remote SuperReel™	1800 x 1070 x 1160	\$10,6 97
PUF0600L0340Q1	TopCrop™ 600L Tank, 34L/min 40 bar (580psi) Pump, GX200 Honda engine, 100m Remote SuperReel™	2030 x 1070 x 850	\$10,697
PUF0800L0340Q1	TopCrop™ 800L Tank, 34L/min 40 bar (580psi) Pump, GX200 Honda engine, 100m Remote SuperReel™	2180 x 1220 x 870	\$10,904
PUF1000L0340Q1	TopCrop™ 1000L Tank, 34L/min 40 bar (580psi) Pump, GX200 Honda engine, 100m Remote SuperReel™	2180 x 1220 x 1140	\$11,24 3

SuperReel[™] Field Sprayer

Increase Your Spraying Efficiency



Code	Description	L x W x H (mm)	RRP*(\$)
PUFS0400L0540TQ1	400L Tank, 54L/min 40 bar (580psi) Pump, GX200 Honda engine, Twin 100m Remote SuperReel	1800 x 1280 x 1160	\$17,44 6
PUF0500L0540TQ1	500L Tank, 54L/min 40 bar (580psi) Pump, GX200 Honda engine, Twin 100m Remote SuperReel	1800 x 1280 x 1160	\$17, 6 75
PUFS0600L0540TQ1	600L Tank (<i>Short</i>) - 54L/min 40 bar (580psi) Pump, GX200 Honda engine, Twin 100m Remote SuperReel	1800 x 1280 x 1160	\$17, 7 97
PUF0600L0540TQ1	600L Tank, 54L/min 40 bar (580psi) Pump, GX200 Honda engine, Twin 100m Remote SuperReel	2180 x 1310 x 870	\$17, 7 97
PUF0800L0540TQ1	800L Tank, 54L/min 40 bar (580psi) Pump, GX200 Honda engine, Twin 100m Remote SuperReel	2180 x 1310 x 870	\$18, 0 52
PUF1000L0540TQ1	1000L Tank, 54L/min 40 bar (580psi) Pump, GX200 Honda engine, Twin 100m Remote SuperReel	2180 x 1310 x 1140	\$18 ,34 3





SpotPro Scan to see this product in action!

ATV Spray Trailer Series with Petrol Powered Pump

» Pressure regulator with gauge

30m Hose and reel

Single axle fitted with 22" high flotation all terrain tyres Optional versatile boom fitted. With 7-way spray



Turbo atomiser spray gun gives an excellent range of spray options from mist to stream

SpotPro[™] 200L (Single Axle) 12L/min 360psi, 30m Hose & Reel and Versatile Boom CODE: PRAA0200L0120H-B

SpotPro[™] 400L (Dual Axle)

2L/min 360psi, 30m Hose & Reel and Versatile Boom CODE: PRAAD0400L0120H-B \$6.038*****

TrailPro[™] Spray Trailers

Spray Trailers with 12v Pump

TrailPro™ 200L (With Reel

200L Trailer, 100PSI, 30M Hose

Reel. With Boom CODE: PRAV0200L0076H3-B

\$4,432*



*Prices include GST | See page 110 for freight costs

TrailPro™ "Deluxe" Spray Trailers

Ideal for Rough Terrain!







Free Call 1800 816 277 | sales@tti.com.au | www.tti.com.au











GlidePath™ "Deluxe" Spray Trailers with Folding Boom

» UV stabilised polyethylene tank for long life

» Galvanised steel frame and mudguard with 15" wheels

» 30m hose and reel

» Genuine GX200 Honda 4 stroke motor with 3 year factory warranty

- » Pressure regulator and gauge for accurate spraying
- » Bertolini Italian Made Pump
- » Easy flow drainage system for quick cleaning



It's a Total **Weed Wipe Out** with The GlidePath™

Perfect Choice

for Smaller Farms

GlidePath[™]

Spray Trailers with SuperReel

- » UV stabilised polyethylene tank for long life
- » Heavy-duty galvanised steel chassis steel frame and mudguard with 15" wheels
- » Choice of single or twin auto rewind SuperReels
- Genuine GX200 Honda 4 stroke motor
- Pressure regulator and gauge for accurate
- » Easy flow drainage system for quick cleaning
- 54L/min Bertolini pump



Spec Up Your GlidePath[™] Trailer

CHOOSE the trailer and pump combination best suited to your needs

Code	Description	RRP*(\$)
PRAX1000L0750Z	1000L OnFarm with GX200 Honda Motor and 75L/min pump & 3 way regulator	\$ 12,793
PRAQ1000L0750Z	1000L OnRoad with GX200 Honda Motor and 75L/min pump & 3 way regulator	\$14,8 0 3
PRAX1200L0750Z	1200L OnFarm with GX200 Honda Motor and 75L/min pump & 3 way regulator	\$13,6 0 3
PRAQ1200L0750Z	1200L OnRoad with GX200 Honda Motor 75L/min pump & 3 way regulator	\$15, 53 1

ADD one of these heavy-duty steel boom options (See page **66** for more details)

Code	Description	RRP*(\$)
ABM080	8m Heavy Duty Steel Boom with non-drip nozzles	\$ 1,918
ABM080PS	8m Heavy Duty Steel Boom with non-drip nozzles and self-level kit	\$3,794
ABM100PS	10m Heavy Duty Steel Boom with non-drip nozzles and self-level kit	\$3,971
ABM120PS	12m Heavy Duty Steel Boom with non-drip nozzles and self-level kit	\$4,192

ADD one or more of these optional extras

Code	Description	RRP*(\$)
ATHW03B030M10G	30m Poly Hose Reel with Spray Gun	\$660
ATHW05B050M10G	50m Poly Hose Reel with Spray Gun	\$ 857
ATF0024DF	Double Sided Deluxe Foam Marker Kit Fitted	\$1,990
ATCG0430	TeeJet Matrix 430 Guidance System	\$ 2,884
ATCG0570	TeeJet Matrix 570G Guidance System	\$4,767

ORDER your sprayer from vour local distributor

We Can Build to Meet Your Requirements!

- » Choose from a huge range of spray
- » We build spray trailers for councils, large contractors, mines & much more!

Free Call 1800 816 277 | sales@tti.com.au | www.tti.com.au

» Give our helpful customer service team a challenge to build the trailer you need!








Main Features:



Clear and easy to read tank gauge calibration







Moulded In-House by TTI, backed with a 20 year





Flat spray tips air induction



Suction Filter

Protected Non-Drip

Nozzle Bodies *Prices include GST | See page 110 for freight costs















\$4,767

LinkOn™ 300L 22L/min Pump; 4m Boom No Hose Reel CODE: PLG0300L0220-4 \$4,720*

| LinkOn™ 400L 22L/min Pump; 4m Boom No Hose Reel CODE: PLG0400L0220-4 \$5,061*

| LinkOn™ 600L 75L/min Pump; 6m Boom Pinnacle Pro

No Hose Reel CODE: PLG0600L0750-6 \$6,453*

| LinkOn™ 800L

75L/min Pump; 8m Boom Pinnacle Pro No Hose Reel CODE: PLG0800L0750-8 \$7,262*

Code	Description	RRP*(\$)
PLG0300L0220	300 Litre 3-Point Linkage Complete with 22 L/min Pump , 3-way Bertolini Regulator and Gauge and PTO shaft	\$3,564
PLG0300L0750	300 Litre 3-Point Linkage Complete with 75 L/min Pump , 3-way Arag Regulator and Gauge and PTO shaft	\$4,234
PLG0400L0220	400 Litre 3-Point Linkage Complete with 22 L/min Pump, 3-way Bertolini Regulator and Gauge and PTO shaft	\$3,915
PLG0400L0750	400 Litre 3-Point Linkage Complete with 75 L/min Pump, 3-way Arag Regulator and Gauge and PTO shaft	\$ 4, 592
Boom Options		
ABP040	4 metre poly boom complete with non-drip nozzles	\$1 ,223
ABM040	4 metre Pinnacle Pro Steel Boom - galvanised	\$ 1,310
ABM060	6 metre Pinnacle Pro Steel Boom - galvanised	\$1, 5 52
Other Options		
ATHW03X030M10G	30m poly hose reel with adjustable spray gun	\$660
ATF0024DF	Double sided Arag Foam marker fitted	\$1,990
ATCG0430	TeeJet Matrix 430 GPS Guidance System	\$ 2,884

Code	Description	RRP*(
PLG0600L0750	600 Litre 3-Point Linkage Complete with 75 L/min Pump, 3-way Arag Regulator and Gauge and PTO shaft	\$5,11
PLY0600L0750C0	600 Litre 3-Point Linkage Complete with 75 L/min Pump, 3-way Arag Regulator with Main Elec On/Off, Gauge and PTO shaft	\$5,47
PLG0800L0750	800 Litre 3-Point Linkage Complete with 75 L/min Pump, 3-way Arag Regulator and Gauge and PTO shaft	\$5,58
PLY0800L0750C0	800 Litre 3-Point Linkage Complete with 75 L/min Pump, 3-way Arag Regulator with Main Elec On/Off, Gauge and PTO shaft	\$5,92
Boom Options		
ABM060	6 metre Pinnacle Pro Steel Boom - galvanised	\$1, 5 5
ABM080	8 metre Pinnacle Pro Steel Boom - galvanised	\$1,91
ABM100PS	10 metre Pinnacle Plus Steel Boom with self-level kit - galvanised	\$3,97
ABM120PS	12 metre Pinnacle Plus Steel Boom with self-level kit - galvanised	\$4,19
Other Options		
ATHW03X030M10G	30m poly hose reel with adjustable spray gun	\$66
ATF0024DF	Double sided Arag Foam marker fitted	\$1,99
ATCG0430	TeeJet Matrix 430 GPS Guidance System	\$2,88

TeeJet Matrix 570G GPS Guidance System Free Call 1800 816 277 | sales@tti.com.au | www.tti.com.au

and Gauge

SELECT the correct tank and pump combination to suit your requirements

Code	Description	RRP*(\$)
PLG1000L0750	1000L LinkOn™ Plus, 75 L/min Pump, 3 way Manual Arag Regulator	\$6,484
PLY1000L0750C0	1000L LinkOn™ Plus, 75 L/min Pump, 3 way Manual Arag Regulator with Main Electric On/Off; In-cab Switch Box	\$7,055
PLY1000L0750C1	1000L LinkOn™ Plus, 75 L/min Pump, 4 way (3 Elec; 1 Manual) Arag Regulator with Main Electric On/Off; In-cab Switch Box	\$8,263

ADD one of these great boom options (See page 66 for more details)

Code	Description	RRP*(\$)
ABM080PS	8m Heavy Duty Steel Boom, self level kit & non drip nozzles	\$3,794
ABM100PS	10m Pinnacle-Plus Steel Boom, self level kit & non drip nozzles	\$3,971
ABM120PS	12m Pinnacle-Plus Steel Boom, self level kit & non drip nozzles	\$4,192
ABM120HM	Agile 12m Steel Boom, Hydraulic Fold, Mechanical Lift	\$15,505
ABM120HH	Agile 12m Steel Boom, Hydraulic Lift & Fold	\$16,861

ADD one or more of these optional extras

Code	Description	RRP*(\$)
ATHW03X030M10G	30m Poly Hose Reel with Spray Gun	\$660
ATF0024DF	Double Sided Deluxe Foam Marker Kit Fitted	\$1,990
ATCG0430	TeeJet Matrix 430 GPS Guidance System	\$2,884
ATCG0570	TeeJet Matrix 570G GPS Guidance System	\$4,767

ORDER your sprayer from vour local distributor

LinkOn™ 1000L "Plus"

3PL Linkage Sprayers

- Galvanised hydraulic lift and fold boom
- **Engineer approved** 3PL frame
- » Up to 6-way hydraulic controls
- 3 Section boom control
- Spring loaded breakaway for boom protection



75L/min pump, 12m hydraulic boom and foam marker CODE: PLG1000L0750-12

\$23,979*











Foam Markers - Double Sided

- » Double sided deluxe model with solenoid control
- » In-cab controller for left/right selection
- 24 Litre high strength poly tank with safety valve
- Maximum foam production 330 L/hr
- Working **pressure 0.75 bar** at 12 volt DC
- » Water/Foam agent solution consumption 10.6 L/hr
- Foam spreader made of flexible EPDM rubber to withstand accidental impacts
- and more.

I Foam Marker

Foam Marker Complete Kit CODE: ATF0024D

*Prices include GST | See page 110 for freight costs

\$1,581*****

GPS Guidance - Matrix 430

- » GPS/GLONASS engine with ClearPath technology
- Easy to install and easy to operate
- **Compact** install in front of steering wheel for easy viewing during field operation
- Calculates field area, counts applied acres and produces Google Earth™ coverage maps
- Provides warning sound when entering into previously applied areas
- Cross-track error with user selectable displays for worked area, worked time
- and more.





GPS Guidance System CODE: ATCG0430 \$2.884*

GPS Guidance - Matrix 570G

- The Matrix Pro GS system can be used with up to eight RealView cameras
- The Matrix Pro 570GS console features a 14.5 cm (5.7") touch screen
- A+ Azimuth (degree heading) allows identical, parallel, guidelines when operating multiple vehicles in the same field
- Field Finder organizes saved jobs according to your current GPS location
- Easy-to-use PC utility simplifies creating and maintaining client/farm/field/job data & more



GPS Guidance System CODE: ATCG0570 \$4.767*

regulator fitted for pressure adjustment 100L Silage Applicator **200L Silage Applicator** with 2 Nozzle Boom with 2 Nozzle Boom

SilageMaster[™] Applicator

Comes with Wireless Remote Control

Tough UV Stabilised tank

NEW! Remote on/off switch

green nozzles

CODE: PJA0100L

\$1.402*

Ideal for mounting to a baler

7.5L/min 60psi Delavan 12v pump

Covers 1 metre with 2 non-dip nozzles

Boom recommended to be used with

Description Code **RRP*(\$)** ABAS005 \$190 Silage applicator boom single nozzle complete ABAS010 Silage applicator boom double nozzle complete

CODE: PJA0200L

\$1.510*****





Model 7800 Series

- » Viton valves, Santroprene diaphragm
- » 10mm Suction and discharge tails
- Diaphragm pump, capable of being run dry
- Self priming up to 4 metres
- » Suits 10mm hose
- » Supplied with quick attach fittings
- » ½ inch quick attach ports



3.8L/min 40psi Model 7800 Series CODE: APD0038 \$154*

PSI	LPM	Amps
0-3	3.7	1.5
10	3.2	1.9
20	2.7	2.1
30	2.3	2.4
40	1.5	2.6



| 7.5L/min 60psi Model 7800 Series CODE: APD0077Q10E \$236*

PSI	LPM	Amps
10	7.6	2.8
20	6.4	3.7
30	6.0	4.2
40	5.9	4.7
50	4.7	5.2
60	4.0	5.7



| 7.5L/min 60ps Model 7800 Series Threaded Ports CODE: APD0077T10E

\$236*

PSI	LPM	Amps
10	7.6	2.8
20	6.4	3.7
30	6.0	4.2
40	5.9	4.7
50	4.7	5.2
60	4.0	5.7



Model 7800 Series CODE: APD0076Q10E \$276*

LPM	Amps
7.6	2.8
6.4	3.7
6.0	4.2
5.8	4.7
4.7	4.2
4.0	5.7
3.8	7.5

Model 5900 Series

- » Pressures available up to 100psi
- » Viton valves, santoprene diaphragm
- » ¾" quick attach ports
- » Suits 12mm hose
- » Self priming up to 4 metres
- » 5 chamber positive displacement pump capable of being run dry
- » Supplied with 2 pin electrical connector
- Supplied with quick attach fittings



| 11.4L/min 60psi Model 5900 Series CODE: APD0114Q10E

Amps	LPM	PSI
3.5	12.1	10
5.8	10.6	20
7.2	10.0	30
8.3	9.3	40
9.1	8.3	50
9.9	7.6	60



I 15.2L/min 60psi MODEL 5900 SERIES CODE: APD0152Q12E \$348*

Amps	LPM	PSI
4.8	15.2	10
6.1	14.0	20
7.7	11.7	30
9.6	10.2	40
10.8	9.5	50
11.3	9.1	60



| 19L/min 60psi Model 5900 Series CODE: APD0190Q12E \$427*

Amps	LPM	PSI
6.0	19.0	10
9.0	17.1	20
11.0	15.5	30
13.0	14.4	40
14.6	13.5	50
16.3	12.1	60



Model 7900 Series CODE: APD0265Q12E

Amps	LPM	PSI
11	26.6	10
12	25.7	20
13	22.5	30
17	18.8	40
21	14.9	50
25	9.6	60

All Delavan pumps are complete with heavy duty steel cased motor & sealed ball bearings on both ends of motor shaft. Delavan PowerFlo diaphragm pumps deliver maximum torque and operating efficiency, higher operating pressure, and/or lower amperage for maximum pump performance.



For Maximum **Heat Dispersion** Ideal for our hot climate! Fin Cooler CODE: CDPHS01 \$25*

Spray Accessories

Pumps, Guns, Booms, Reels & Nozzles





CDP5DFE38X2

CDP3DFE12X2

CDP3DFA12X2



10mm Elbow x 2 for 5900

12mm Elbow x 2 for 7800

12mm Straight x 2 for 7800

12mm Straight x 2 for 5900

12mm Elbow x 2 for 5900

Quick Attach

Quick Attach

DELAVAN PUMP

SANTOPRENE











	emultie 300	e tom
m		1000
-81	133	-
- 8	100	
-		- 8
- 84		



CODE		
ATPFS050Q10	Quick attach filter for 7800 pump	\$50
ATPFS050Q12	Quick attach filter for 5900 pumps	\$50

Description Quick Attach **\$17** CDP3DFE38X2 **10mm Elbow** x 2 for 7800 Quick Attach CDP3DFA38X2 10mm Straight x 2 for 7800 Quick Attach CDP5DFA38X2 10mm Straight x 2 for 5900 Quick Attach

\$17

STAINLESS STEEL



CODE: CDPHS01

Fin Cooler for 12v pumps

Heat sink for efficient heat dispersion Pump runs cooler for greater durability





Delavan Pumps SPARE PARTS KITS

		RRP*(\$)
CDPLHA78607E77	Lower housing assy - for 7801 pumps; Diaphragm	\$79
CDPLHA78637F77	Lower housing assy - for 7800 pumps; Diaphragm	\$79
CDP53LHA002	Lower housing assy - for 7800 pumps; Geolast Diaphragm	\$ 125
CDPVHA78637F77	Valve housing assy for 7800 pumps	\$68
CDPUHA78637F77	Upper housing assy for 7800 pumps	\$68
CDPUHA78637F77T	Upper housing assy for 7812 pumps	\$68
CDP2200PSW	Pressure switch for 2200 pumps	\$20
CDP7800PSW60	Pressure switch to suit 7800 series pumps	
CDP7800PSW100	Pressure switch to suit 5900 series	\$38

Quick Attach

Regulator & Gauge

- Fitted standard to our **professional spot**
- Simple **push in & lock fitting** no tools reauired
- Set & forget pressure control
- » Excess fluid returns to tank & provides agitation


		RRP*(\$)
ATRM020LQ10G	Quick attach regulator & gauge for 7800 pump	\$135
ATRM020LQ12G	Quick attach regulator & gauge for 5900 pump	\$1 3 5

Wire Harness Kit

- » 3.6 metre wire harness kit with on/off
- » Power control switch & fuse protection included
- » Easy quick connect 2-pin plugs
- » Kit includes both lighter adapter and alligator clips
- » Max 10 Amp draw

CODE		
ATCWL03612VSAC	Wire harness kit complete - 10 Amp	\$50









12L/min Pump 30m Reel and Gun



RRP*(\$)

\$124

\$131

\$113

\$128

\$159

\$234

\$113

\$207

RRP*(\$)

\$113

\$374

\$147

\$281

\$1,022

\$268

\$458

\$150

BERTOLINI

DIAPHRAGM PUMPS

Bertolini

Spare Parts Kits

CODE DESCRIPTION

CBK949879973 **O-ring kit** for Poly 2020

CBK039830973 Pump Seals Kit - PA330

CBK949888973 **SS valves kit** for Poly 2020

CBK949871973 Diaphragm Kit - 20VF/RT4Poly2020

CBK039850973 **Valve Kit** for PA330 (up to Nov 2004)

CBK039875973 Valve Kit for PA330.1 (from Dec 2004)

CBK039873973 Diaphragm Kit - PA330 (Desmopan)

Bertolini

Pump Spare parts

DESCRIPTION

CBK639870973 Valve Kit - Polv 73/2073

CBK239880973 Pump Seals Kit - PA530

CBK239828973 **Diaphragm Kit** - PA530 (Buna)

CBK239829973 **Valve Kit** - PA530

CBK639880973 **Pump Seals Kit** - Poly 73/2073

CBK639871973 **Diaphragm Kit** - Poly 73/2073 (Buna)

CBK639826973 **Diaphragm Kit** - Poly 73/2073 (Viton)

Diaphragm Kit - Poly 73/2073

CODE

CBK639873973

22L/min Pump

2 Diaphrams; 1 3/8" Shaft; 290psi/20bar Max Pressure; Weight: 6.6kg

Bare Pump & Shaft 1,059*

Pump & Gear Box CODE: APL0220KG \$1.397*



34L/min Pump

3 Diaphrams; 1 3/8" Shaft; 580psi/40bar Max Pressure: Weiaht Pump & Gear Box

Bare Dump & Shaft CODE: APL0340S

CODE: APL0340KG \$1.722*****



| 54L/min Pump

3 Diaphrams; 1 3/8" Shaft; 580psi/40bar Max Pressure: Weight

Bare Pump & Shaft

Pump & Gear Box CODE: APL0540KG \$2.186*



75L/min Pump

3 Diaphrams; 1 3/8" Shaft; 218psi/15bar Max Pressure; Weight: 11kg

Bare Pump & Shaft Pump & Gear Box

CODE: APL0750KG \$1.967*****



126L/min Pump

5 Diaphrams; 1 3/8" Shaft; 218psi/15bar Max Pressure; Weight: 12kg

Bare Pump & Shaft CODE: APL1260S



210L/min Pump

3 Diaphrams; 1 3/8" Shaft; 218psi/15bar Max Pressure; Weight: 26kg

Bare Pump & Shaft CODE: APL2100S \$3,856*



*Prices include GST | See page 110 for freight costs

I 11/2" Suction Filter

Arag Regulators

- » Polypropylene high capacity modular system with viton seals
- » Main control lever shuts off flow completely good for boom sprays
- Manual section valves can be replaced by ca463011S electric valves to give in cab control of boom sections.
- » When ordering **electric controllers** select switch box to suit application

Switches & Cables

The Arag compact control box is an electric device that connected to a suitable control unit allows managing all spraying stages directly inside the agricultural vehicle cabin it is installed in.

- » Models with 1, 2 and 4 output sections
- » Available main valve control and pressure settings adjustment
- » Available with M or P operation mode



| Suction Filter

For 7800 Series Pumps CODE: ATPFS050Q10 For 5900 Series Pumps CODE: ATPFS050Q12 \$50



I 1/2" Suction Filter (Threaded) to Suit Shurflo Pumps

CODE: ATPFS080T12



I 11/4" Suction Filter 25mm Hosetails CODE: ATPFSV032T32T \$141*



32mm Hosetails CODE: ATPFSV032T38T \$165*****

Bertolini Regulators

- 90 L/min flow rate
- Choose from 15 bar (218psi) and 40 bar (580psi) pressure ratings
- 3 outlets with 10mm hose tails and ball valves
- Complete with pressure gauge and mounting bracket
- Accurate and progressive pressure selection
- Reliable pressure control
- 3-way fluid control



Sting 3-Way Regulator 90L/min, 15 bar (218psi) Code: ATRB15B09013M3K \$448*



Sting 3-Way Regulator 90L/min, 40 bar (580psi) Code: ATRB40B09013M3K \$469*



CODE: CBP830010002



3 Manual Section Valves CODE: ATRA10B080X3M3 \$387*



Arag Regulator 3 Manual Section Valves-:Manual On/Off CODE: ATRA20B14013M3



On/Off Switch Box CODE: ATCC1W \$136*****



On/Off Switch Box CODE: ATCC2W \$182*

Boom Spray Control

Make Your Spraying Jobs Easier & Professional

- Heavy duty brass ½" BSP, 12VDC solenoid valves
- Suitable for most chemicals
- » Viton diaphragm
- » Rated to 140PSI

Filters

your pump

Choose From 1-way or 3-way Solenoid Kits



I 1-Way Solenoid Valve Kit

10 bar (140psi) 3.6m Electrical Leads 1/2" BSP Port Solenoid CODE: ATVS10B036 \$252*



3-Way Solenoid Valve Kit

10 bar (140psi) With 3 way switch box and cables ½" BSP port solenoid CODE: ATVS10BX3W \$668*



| Arag Regulator & Gauge 3 Manual Section Valves:

Elec On/Off CODE: ATRA20B14023M3 \$849*



Arag Regulator & Gauge

2 Electric: 1 Manual Section Valves: Electric On/Off CODE: ATRA20B14023E2M1 \$1,365*****



3-Wav & Main On/Off Switch Box with Pressure Control CODE: ATCC3WVP \$342*



CODE: ATCC5WVP



with Pressure Control \$684*



High quality TTi agricultural spray hose High flexibility, kink resistant

Highly Flexible Spray Hose

Working pressure 40 bar (580 psi)

Great Value Kink Resistant Hose

- Burst Pressure 150 bar (2200 psi)
- Suction hose available also call for details Black ribbed outer cover with a specially
- formulated yellow chemical resistant tube
 - 10mm & 12mm hose available in 100m rolls Call for your price CUY58025MM

Free Call 1800 816 277 | sales@tti.com.au | www.tti.com.au

Pressure Spray Hose

	Trecoure opiny mose				
	Code	Description	RRP*(\$)		
	CUY58010MM	10mm Spray Hose (working pressure 40 bar; 580psi) / metre	\$8		
	CUY58010MMX10	10mm Spray Hose (working pressure 40 bar; 580psi) / 10 metre	\$74		
	CUY58012MM	12mm Spray Hose (working pressure 40 bar; 580psi) / metre	\$10		
	CUY58012MMX10	12mm Spray Hose (working pressure 40 bar; 580psi) / 10 metre	\$ 100		
	CUY58019MM	19mm Spray Hose (working pressure 40 bar; 580psi) / metre	\$25		
е	CUY58025MM	25mm Spray Hose (working pressure 40 bar; 580psi) / metre	\$ 42		

Suction Hose

\$)	S38	Code	Pressure Rating (300 psi)	RRP*(
8	6	CUUC19MM	19mm Clear Suction Hose (not for pressure lines) / metre	\$
4	\$25	STAHSB25	25mm Suction Hose (not for pressure lines) / metre	\$
0	25	STAHSB32	32mm Suction Hose (not for pressure lines) / metre	\$
0	19	STAHSB38	38mm Suction Hose (not for pressure lines) / metre	\$
25	12			
	10			

*Prices include GST | See page 110 for freight costs

Add any of these

to your versatile

or telescopic lances

for Fan

Adjustable Cone/Fan Spray Nozzles CODE: ATAOOHC (CONE) / ATAOOHF (FUN)

Home Garden Spray Lances

Versatile Lance

- » Liahtweiaht all-purpose lance
- » Virtually unbreakable shaft
- » Adiustable sprav nozzle
- » Overall lenath: 760mm
- Maximum pressure: 10 bar
- Choose from a large range of compatible accessories
- » 10mm hosetail

Economy Lance

- » Liahtweiaht chromed aluminium
- » Adjustable spray nozzle
- Filter in handle
- » 10mm hose barb connection
- 850mm overall lenath

Telescopic Lance

- » Lightweight lance with long reach for trees and bushes
- » Very easily adjusted
- » Maximum pressure: 10 bar (145 psi)
- » Overall length: from 710 to 1150mm
- Compatible with Inter accessories as shown
- » 10mm hosetail

Telescopic Lance with 10mm Hose Tail Lenath: 760mm CODE: AHL003T \$93*

Versatile Lance

Economy Lance

Lenath: 850mm

CODE: AHL009

\$42*

with 10mm Hose Barb

CODE: AHL002T

\$60*

with 10mm Hose Tail

CODE: CGP726 \$**13***

Nozzle

\$13*

Replacement

Nozzle Replacement

CODE: CGP726

Nozzle Replacement

Spray Booms

- Three boom types to choose from to speed up your ground coverage.
- » Lightweight for ease of use.

Telescopic Lance Nozzle Boom CODE: ATAOORF

\$72*

Quadruple Nozzle Boom with Cone/Fan Spray Nozzles 1.5m CODE: ATAOOEC (CONE) / ATAOOEF (FUN) **\$98*/\$113***

SuperReel

Remote Controlled Rewind Hose Reel

- ✓ NEW! Fully enclosed frame design minimises pinch points
- Powerful 12v electric motor with auto overload cut-off
- ✓ Unique "Transport mode" braking technology

Exciting New

- Manual override button and isolation switch
- √ Tough powder-coated finish
- Single channel wireless remote transmits up to 200m in uneven terrain!



product in action!

the job quick, easy and safe for any operator.

Auto-Rewind Reel

CODE: ATHR100M10

\$4.232^{*}

DIM (LWH): 810 x 355 x 675mm

SuperReel

1800 816 277

Designed to perform in the toughest terrain, the remote controlled SuperReel™ and SuperReel™ 50 spray reels are guaranteed to make

SuperReel™ 50m

Auto-Rewind Reel DIM (LWH): 600 x 355 x 450mm CODE: ATHR050M10 \$2.950*

SuperReel[™] 100m SuperReel™ 150m

Auto-Rewind Reel DIM (LWH): 810 x 355 x 675mm CODE: ATHR150M10 \$4,547*****

AUSTRALIAN MADE

AND OWNED

*Prices include GST | See page 110 for freight costs





CODE: ATA00G \$**41***

CODE: ATA00 \$**25***

Flexible Double Nozzle

Tubes can be manually moulded for specialised spraying requirements Two models available, one with adjustable cone nozzles and one with fan nozzles Used for basal bark spraying and ant block treatments

Flexible Double Nozzle

\$55* / \$66*

\$44*

Spray Guns

Heavy Duty Pistol Grip

- » All metal construction -
- stainless steel, aluminium & brass
- » High pressure, long range spray gun
- » Teflon seal
- » Overall Length: 180mm
- » Easily adjustable spray pattern
- » Max. pressure: 55 bar (800psi)
- » Max. flow: 15 L/min (580psi) with 3mm nozzle

Spot 300 Lance

- » Heavy Duty Spot Spray Gun
- » Trigger adjustable spray pattern with lock
- » Max pressure: 40 bar (580psi)
- » Overall length: 300mm

Top Gun

- » High pressure, long range, multipurpose spray gun
- » Front handgrip allows quick spray pattern selection
- » Fitted with trigger lock and ½" swivel inlet
- » Overall length: 700mm
- » Max range: 25m @ 50bar
- Max pressure: 60 bar (870psi)
- Max flow rate: 135 L/min

PowerJet Spray Guns

Simple & effective operating system using stainless steel ball & seat & brass housing

Note: (Standard on Professional Sprayers)

- Durable, dependable spray gun for all spraying applications
- » Adjustable spray nozzle
- » Overall length: 700mm
- » Maximum pressure: 20Bar 300psi





Long Lance

CODE: AHG111ST

CODE: AHG110ST

Overall lenath: 840mm

With 620mm extension

Standard on Professional Sprayer

KITS

REPAIR KIT - CPLK104R NUT & WASHER FOR NOZZLE - CPLP104N 1.5MM NOZZLE - CPLP104N15 2.0MM NOZZLE - CPLP104N20 2.5MM NOZZLE - CPLP104N25 3.0MM NOZZLE - CPLP104N30 3.5MM NOZZLE - CPLP104N35

KITS

4.0MM NOZZLE - CPLP104N40

REPAIR KIT - CPLK105R NUT & WASHER FOR NOZZLE - CPLP105N 1.5MM NOZZLE - CPLP105N15 2.3MM NOZZLE - CPLP105N23

KITS

REPAIR KIT - CPLK107R

2.3MM NOZZLE - CPLP107N23

Powerjet Spray Gun

Overall length: 475mm

Fitted with hose swivel

PowerJet Spray Gun

Add a Spray Hood for **Target Spraying**

Rectangular Spray Shield Kit to suit Powerjet Spray Gun

SAFE!

Protect surrounding vegetation Shield (pictured) fitted to lances



Rectangular Spray Shield Kit



Max pressure 360psi » Overall length 445mm

RapidJet Spray Gun

- Ergonomic spray gun with long reach
- » Easily adjustable brass nozzle for a variety of spray patterns
- Maximum pressure: 17 bar (250 psi)
- » Max. flow rate: 26 L/min
- Overall lenath: 740mm
- 10mm hose barb



Turbo Spray Gun

- Great value multipurpose spray gun
- One hand operation for easy pattern adjustment + on/off trigger

Free Call 1800 816 277 | sales@tti.com.au | www.tti.com.au

- Adjustable turbo atomiser
- Supplied with 10mm hose tail

SPRAY GUNS

comes with

10mm Hose Tail

KITS

REPAIR KIT

CODE: CPLK102R

2.3MM CERAMIC NOZZLE

CODE: CPLP102N23

3.5MM CERAMIC NOZZLE

CODE: CPLP102N35

Turbo Spray Gun

CODE: AHG101T

» Max pressure: 50 bar (725psi)

Turbo 400 Spray Gun

» Overall length: 400mm

KITS Professional multipurpose spray gun with Viton seals REPAIR KIT CODE: CPLK102R One hand operation for easy 2.3MM CERAMIC NOZZLI pattern adjustment and on/off trigger Adjustable turbo atomiser Comes with swivel & 10mm hose tail

CODE: CPLP102N23 3.5MM CERAMIC NOZZLI CODE: CPLP102N35



Multi-Purpose Spray Gun

- Professional multipurpose high pressure spray gun with Viton seals
- Adjustable turbo atomiser for full range of spray requirements from straight stream to soft atomised cone spray position
- Metal handle & trigger gua🕌 favoured by many operators
- » Swivel & 10mm hose tail supplied
- Max pressure: **50 bar** (725psi)
- » Overall length: 400mm

REPAIR KIT CODE: CPLK102R

KITS

Multi-Purpose Spray Gun CODE: AHG103ST

\$202*

*Prices include GST | See page 110 for freight costs

Features

- » 4 sizes to choose from
- » Use with ATV, 3PL or ute sprayers
- » Can be used as 180° swath or 90° swath by swapping nozzle
- Ideal for rough country spraying & locust control
- » Optimum mounting height between 0.5m & 1.0m above ground



- On/Off tap with ½" Male BSP fitting
- » Can be easily changed from one side to two side spravina



7m Spray Width (37 L/hec) Minimum pump capacity 7L/min CODE: ABK02 **\$175***

15m Spray Width (74 L/hec) Minimum pump capacity 11L/min CODE: ABK05 **\$185***

16m Spray Width (147 L/hec) Minimum pump capacity 20 L/min CODE: ABK10 \$227*

17m Spray Width (190 L/hec) Minimum pump capacity 30 L/min CODE: ABK20 \$247*

BoomJet[™] Nozzle

Boomless Brass Nozzle

ABJ010

ABJ020

ABJ040



H1/4VV-1506

OC10 H1/4U-0508HE

OC20 H1/4U-0520HE

OC40 H1/4U-0540HE

with 50

mesh strainer

H1/4VVL-11004

with 50

H1/4VVL-9506

with 50

mesh strainer

H1/4U-9510



BoomJet 5880

Boomless Brass Nozzle; 0.91kg Code: SEE TABLE \$556*

Notes: Always double check your application rates.

Tabulations are based on spraying

BoomTech™ Nozzle Tail Gate Nozzle Kit

- Universal Stainless Steel Tailgate Mounting Bracket
- Ideal for fence lines, orchard, blanket and end row spraying
- » Excellent Drift Control
- » Min Pump Capacity Required: 7.5L/min

10.3

10.5

12.0

12.3

14.3

17.1

18.2

9.37

12.89

14.41

24.00

27.72

30.99

47.44

54.78

» Recommended spray pressure range: 20-60 PSI (1.5-4 bar)



SPRAYS RIGHT └─ 4 METRES ─

2 Metre Boom 2m Sprav width

JETS LEFT, RIGHT & CENTER

Versatile Boom

» Compatible with any spot sprayer with

» 1.2 metre compact boom » Sprays 4 metre swath width

pump - 6.5 L/min or more

» Taps for 7-way nozzle control

» Versatility of spraying options

Versatile Boom

CODE: ABVL040

\$499*

Sprays up to 4 metres

JETS LEFT & CENTER

3 Metre Boom

JETS CENTER ONLY

3m Spray width

4m Spray width CODÉ: ABS040 \$382*

Free Call 1800 816 277 | sales@tti.com.au | www.tti.com.au *Prices include GST | See page 110 for freight costs

Hitch It Attachments

Hayman Reece boom attachment that suits your UTE or UTV perfectly

- » Hot dipped galvanised steel
- Pin Holes suites both UTEs and UTVs
- » Fits any 50mm Haymen Reese tow hitch
- Compatible with **boomless nozzle** and versatile boom

Goose Neck (Only)

Fits any 50mm Haymen Reese tow hitch; Compatible with boomless nozzle CODE: BOM005-GN \$108*

Hayman Reece

Steel attachment with Versatile Boom CODE: ABVL040-GN \$698*

4 Metre Boom



Pinnacle[™] "Plus"

- » Self-levelling booms allows boom to ride smoothly over uneven terrain
- » Breakaway boom with nozzle protection
- Non drip nozzle bodies with Teejet AIXR Air Induction spray tips
- Easy to mount onto existing sprayer
- » Hot dipped galvanised steel framework
- » Optional upgrade to Tri-nozzle bodies

8m Galvanised Boom

with Self-levelling Kit CODE: ABM080PS \$3,794*

| 10m Galvanised Boom

with Self-levelling Kit CODE: ABM100PS \$3,971*

12m Galvanised Boom

with Self-levelling Kit CODE: ABM120PS

\$4,19**2***



Pinnacle[™] "Pro"

- » Very easy to fold/unfold for spraying and travelling positions
- » Proven design tested over many years
- » Breakaway boom with nozzle protection
- » Non drip nozzle bodies with Teejet AIXR Air Induction spray tips
- » Easy to mount onto existing sprayer

4m Galvanised Boom

with Nozzle Protection
CODE: ABM040
\$1.310*

I 6m Galvanised Boom

with Nozzle Protection CODE: ABM060

\$1,552*****

I 8m Galvanised Boom

with Nozzle Protection
CODE: ABM080

\$1.918*****

Pinnacle[™] "Elite"

- » Built-in **self levelling system**
- » Full nozzle protection with stainless steel pipework
- Centre/Left/Right **plumbing**
- Easily mount to an existing sprayer
- Engineer design minimises weight without compromising strength



12m Galvanised Boom

Hydraulic Lift and Fold CODE: ABM120HH

\$16,861*****



Poly Boom "Break-Away"

- » Heavy duty **UV stabilised poly** construction for rust free durability
- » Strong hot-dip galvanised centre section
- » Spring loaded positive action breakaways
- » Adjustable mounting brackets
- » Increased spraying accuracy
- » Non-drip nozzle bodies fitted with Low Drift nozzles



Turbo 2, 4 - D Compliant

Twin Flat Spray Tips

110° wide angle, air induction, tapered flat spray tip pattern based on the patented outlet orifice design of the original Turbo TeeJet®

0.23 0.32 0.39 0.45 0.50 0.55

0.34 0.48

0.59

0.68 0.76 0.83 0.46 0.65

M 0.79

0.91

1.02

1.12

0.57 0.81

0.99

1.14

1.28

1,40

0.68

1.18

1.36

1.52 1.67 0.91 1.58

1.82

2.04

2.23

1.14

2.27 2.54

1.37

2.37

2.74

1.82

5.0 6.0

3.0 4.0 5.0 6.0

1.0

4.0

6.0

4.0

5.0

1.0 2.0 3.0

TT11002 3.0

(50)

(50)

Patented orifice design provides large, round passages to minimize plugging.

Depending on the chemical, produces large air-filled drops through a Venturi air aspirator resulting in less drift



Herbicides, fungicides and insecticides

Code	Description	Colour	RRP*
TTI110015-VPX10			\$149*
TTI11002-VPX10			\$149*
TTI110025-VPX10	Turbo TeeJet (PACK of 10)		\$149*
TTI11003-VPX10	(PACK OF TO)		\$149*
TTI11004 VDV10			\$1/0*

Air Induction

Angle Flat Spray Tips

Tapered edge wide angle flat spray pattern for uniform coverage in broadcast spraying Large, rounded internal passage to minimize clogging

Excellent resistance to corrosive solutions

Superior wear characteristics

Larger droplets for less drift; 15-90 PSI (1-6 bar)

Applications

Herbicides, fungicides and insecticides

CODE	DESCRIPTION	COLOUR	RRP*
CNSTT110010X10		1 10 1	\$13 5 *
CNSTT110015X10		0.00	\$13 5 *
CNSTT110020X10	Turbo TeeJet		\$13 5 *
CNSTT110025X10	Angle Flat Spray Tips (PACK of 10)		\$1 3 5*
CNSTT110030X10			\$1 3 5*
CNSTT110040X10		9 3	\$1 3 5*
CNSTT110050X10			\$13 5 *
CNSTT110060X10		7.71	\$1 3 5*
CNSTT110080X10		1	\$1 35 *



Flat Spray Tips

110° wide, tapered flat spray angle with air induction technology offers better drift management

Made of a two piece UHMWPE polymer construction with VisiFlo® colour-coding. UHMPE provides excellent chemical resistance, including acids, exceptional wear life

Depending on the chemical, produces large airfilled drops through a Venturi air aspirator

Available in seven tip capacities with a wide operating pressure range: 15-90 PSI (1-6 bar)

CODE	DESCRIPTION	COLOUR	RRP*
CNSAIXR110015X10			\$ 148 *
CNSAIXR110020X10			\$ 148 *
CNSAIXR110025X10	Air induction XR Flat Spray Tips (PACK of 10)		\$ 148 *
CNSAIXR110030X10			\$ 148 *
CNSAIXR110040X10			\$ 148 *
CNSAIXR110050X10			\$ 148 *
CNSAIXR110060X10			\$ 148 *

Note: Always double check your application rates. Tabulations are based on spraying water at 70°F (21°C).



I/ha 50cm

384 307 | 256 | 219 | 192 | 154 | 128 | 96.0 | 85.3 | 76.8 | 61.4 | 51.2 | 43.9

204 163 136 117 102 81.6 68.0 51.0 45.3 40.8 32.6 27.2 23.3

456 365 304 261 228 182 152 114 101 91.2 73.0 60.8 52.1

342 274 228 195 171 137 114 85.5 76.0 68.4 54.7 45.6 39.1

411 329 274 235 206 164 137 103 91.3 82.2 65.8 54.8 47.0

711 569 474 406 356 284 237 178 158 142 114 94.8 813 822 658 548 470 411 329 274 206 183 164 132 110 93.9 918 734 612 525 459 367 306 230 204 184 147 122 105

388 333 291 233 194 146 129 116 93.1 77.6 66.5

546 437 364 312 273 218 182 137 121

837 670 558 478 419 335 279 209

446 382 335 268 223 167

138 110 92.0 78.9 69.0 55.2 46.0 34.5 30.7 27.6 22.1









AIXR TECHNOLOGIES

AIXR110 -VP Spray Tip

(Cross Section View)

WeedControl[™] **Spare Parts**



| Poly 1 GHT Nut

& Tail w/ 10mm Hosetail



Nozzle Body Assy Tee 10mm Barbs (2 way)



Nozzle Body Assy Elbow Pack 2 | (1 way)



Drain Cap



Lance Clips pcs of Holding Clips



CODE: ARK120



50 Mesh Filter ODE: 8079-PP-50







| Regulator Elbow





CODE: CFFCP050H

| Lid Strainer 120mm Lid Straine

150mm Lid Complete with Tether CODE: ARLP150AT

Regulator

Pressure Regulator Assembly I QA CODE: ATRV027LQ12



EverFlo Pump 8.3 L/min 70psi QA CODE: EF2200QA

Hose Fittings



over Ball Valve


Lever Ball valves	
Description	RRP*(\$)
25mm Lever Ball Valve CODE: CFVBB025F025F	\$48
32mm Lever Ball Valve CODE: CFVBB032F032F	\$ 57
40mm Lever Ball Valve CODE: CFVBB040F040F	\$90
50mm Lever Ball Valve CODE: CFVBB050F050F	\$ 118
80mm Lever Ball Valve CODE: CFVBB080F080F	
100mm Lever Ball Valve CODE: CFVBB100F100F	\$871

Camlocks

Hose Swivels/Linkage Pins			
Description	RRP*(\$)	1½ inch Camlock Kit 1½ inch Female Camlock with 38mm Hose Tail 1½ inch Camlock Adaptor	
½" MBSP to ½" FBSP swivel fitting with gaskets - Suits to Heavy Duty Pistol Grip spray	\$33	1½ inch Female Camlock Dust Cap CODE: ATPXP040K	
gun CODE: CFSBB12M12F		1½ inch Female Camlock with 38mm Hose Tail CODE: CFFCP040C	
½" MBSP to 3/8" MNPT swivel - Suits Power Jet spray gun	\$37	1½ inch Camlock Adaptor CODE: CFFCP040A	
CODE: CFSBB12M10M 3/4" MBSP to 3/4" FBSP swivel with	wivel with	1½ inch Female Camlock Dust Cap CODE: CFFCP040H	
gaskets. CODE: CFSBB20M20F	\$ 62	2 inch camlock kit 2 inch Female Camlock with 50mm Hose Tail	
34" female to ½" male swivel, max pressure 360psi CODE: CFSPB20F12M	\$82	2 inch Camlock Adaptor 2 inch Female Camlock Dust Cap CODE: ATPXP050K	
Category 1 pin CODE: CHPL1C20	\$20	2 inch Female Camlock with 50mm Hose Tail CODE: CFFCP050C	
Category 2 pin CODE: CHPL2C29	\$35 2 inch Camlock Adaptor CODE: CFFCP050A		
Category 1 & 2 Implement Pin		2 inch Female Camlock Dust Can	

Dry Boom Nozzle Bodies

- Polypropylene construction complete with quick couple cap and gasket
- EPDM diaphragm check valve opens at 0.5bar
- Max working pressure 20bar
- 10mm (3/8") hose barbs single, two or three



Dry Boom Nozzles

Tee' Non-drip Dry boom nozzle holder with cap – 3/8' nose barbs. (Pack of 4) ODE: ATPNDVQX10CX4



Dry Boom Nozzles (Tee or Elbow)

Non-drip Dry boom nozzle holder with cap - 3/8" hose barbs (Pack of 4) CODE: ATPNDVQT10CX4 (TEE) CODE: ATPNDVQE10CX4 (ELBOW)

Other **Nozzles**

- » Designed for clamping around ½" spray tubes 7mm inlet size.
- Polypropylene construction complete with quick couple cap, gasket, seal and screws EPDM diaphragm check valve opens at 0.5bar



Hinged Non-Drip

Hinged non-drip nozzle body seal, screw & cap-suit 2" pipe. (Pack of 4) CODE: ATPNHVQ12CGBX4



Clamp Type Nozzles Clamp type nozzle holder with diaphragm check valve, quick couple cap gasket & bolts, to suit ½' pipe (Pack of 4) CODE: ATPNCVQ12CGBX4 \$62*

Hose Reels

Keep your hose Neat, Tidy & Protected with a TTi Reel!

- New stronger frame design
- Reel constructed from rust-free UV stabilised poly
- Improved fluid path for greater flow rates
- All brass components no rusty water
- Optimised full flow ball bearing swivel easier rewinding under pressure
- New positive reel locking device works in four positions to prevent hose unwinding in transit

Fire Fighting Hose Reels

Free Call 1800 816 277 | sales@tti.com.au | www.tti.com.au

*Prices include GST | See page 110 for freight costs



30m Reel and Hose

Base Mount - 10mm Hose & Free Spray Gun CODE: ATHW03B030M10G \$660*



50m Reel and Hose

Base Mount - 10mm Hose & Free Spray Gun CODE: ATHW05B050M10G \$857*



30m Reel and Hose

Side Mount - 30m Hose Reel with 10mm Hose & Free Spray Gun CODE: ATHW03X030M10G



\$1.243*



100m Hose and Reel

Base Mount - for 10mm Hose and Spray Gun CODE: ATHW10B100M10G



36m KoReel™ Manual Rewind Reel

CODE: ATHW036MANR \$1.019*****

36m Fire Hose Reel (bare

Bare Fire Reel for 36m FF Hose

CODE: AFHW10B19

\$514*



20m KoReel™ Spring Rewind Reel CODE: ATHW020SR

\$1.369*****



36m Fire Hose & Reel

36m x 19mm Hose with Adjustable Fire Fighting Nozzle CODE: AFHW10B036M19 \$**711***

NEW!

SuperReel[†] See page **60**



SuperReel[™] 50m Auto-Rewind Reel



SuperReel[™] 150m Auto-Rewind Reel

The Multi-Purpose TRAILER



HandiKart[™] Multi-Purpose Trailer

Applications:

Shed Cleanouts
Fencing Maintenance
Carting Hov

Carting **Hay**

Moving Your **Calves**

Firewood

Garden Maintenance

HandiKart[™]

Multi-Purpose Trailer

Lightweight, Functional and Versatile!

Fully galvanised with rear tailgate













DieselCaptain[™]

Move your Unit Around Easily with Ergonomic Lifting Handles

DIESEL FUEL ONLY

APPTONE - WIP 10 BAR - H-IM DAY- 100 RIGHT-TOLY



Choice 6m Piusi or 4m DieselFlo Delivery Hose

large alligator clips



Locking latch



Drain Bung



All TransDiesel tanks comply with AS1940-2004 and AS2809.2-2008

All TransDiesel tanks are manufactured from specifically formulated diesel grade polyethylene that meets International Regulation ECE R34.01



Did You Know?

All DieselCaptain tanks are moulded with our unique aluminium ring for incredible strength!

This unique multi seal **system** keeps the rain out and your diesel in

> with a lockable pump cover





DieselCaptain™ 100L with 40L/min Pump

CODE: DUL0100LD040V1

\$1,387*

DieselCaptain™ 200L

with 45L/min Pump

CODE: DUL0200LF045V1



DieselCaptain™ 200L with 40L/min Pump CODE: DUL0200ALD040V1

DieselCaptain™ 300L

with 45L/min Pump

CODE: DUL0300ALF045V1

\$1,693*



DieselCaptain™ 440L

with 45L/min Pump CODE: DUL0440LF045V1



DieselCaptain™ 400L (Slin with 45L/min Pump CODE: DUL0400ALF045V1



\$1,855*

Free Call 1800 816 277 | sales@tti.com.au | www.tti.com.au

*Prices include GST | See page 110 for freight costs

\$2,024* DieselCaptain™ 600L with 45L/min Pump CODE: DUL0600LF045V1

Capacity (Litres)	Model & Dimensions	Select Pump	Code	RRP*(\$)
100 ∟	STANDARD	40 L/Min	DUL0100LD040V1	\$999
100 L	800 x 680 x 465 mm (L W H)	45 L/Min	DUL0100LF045V1	\$ 1,2 59
	SPACE SAVER	40 L/Min	DUL0200ALD040V1	\$1 , 118
200 L	800 x 680 x 710 mm (L W H)	45 L/Min	DUL0200ALF045V1	\$1,38 7
	LOW PROFILE	40 L/Min	DUL0200LD040V1	\$1,118
	1150 x 820 x 565 mm (L W H)	45 L/Min	DUL0200LF045V1	\$1,38 7
300 ∟	SLIM DESIGN	40 L/Min	DUL0300ALD040V1	\$1,400
300 ∟	1270 x 600 x 790 mm (L W H)	45 L/Min	DUL0300ALF045V1	\$1,64 4
400 L	SLIM DESIGN	40 L/Min	DUL0400ALD040V1	\$1, 5 37
	1270 x 600 x 990 mm (L W H)	45 L/Min	DUL0400ALF045V1	\$1, 7 99

Capacity (Litres)	Model & Dimensions	Select Pump	Code	RRP*(\$)
	STANDARD	40 L/Min	DUL0400LD040V1	\$1,5 3 7
400 L	1150 x 820 x 780 mm	45 L/Min	DUL0400LF045V1	\$1, 7 99
	(LWH)	60 L/Min	DUL0400LF060V1	\$2,055
	SPACE SAVER 1700 x 880 x 620 mm (L W H)	40 L/Min	DUL0440LD040V1	\$1, 672
440 ∟		45 L/Min	DUL0440LF045V1	\$1,88 0
		60 L/Min	DUL0440LF060V1	\$ 2,136
	STANDARD	40 L/Min	DUL0600LD040V1	\$1,81 9
600 L	1700 x 880 x 740 mm	45 L/Min	DUL0600LF045V1	\$ 1,967
	(LWH)	60 L/Min	DUL0600LF060V1	\$2,225

Need bigger capacity?





DieselCaptain[™]

Large Capacity Tanks

Your Refueling Partner!

These contractor quality units have been designed to withstand the most demanding conditions in Australia and around the world. The extra strong tank wall provides protection against rough treatment.

- Fitted with Liquid Locker Safety System to eliminate surge and improve safety
- Large pump compartment protects pump and hose from theft and the weather
- Choice of 45L/min and 60L/min
- 6m of delivery hose for extra long
- Unique breather design prevents diesel from splashing out of the





DieselCaptain™ 800L





with 45L/min Pump and Liquid lockers DUL1000LFB045V1 \$2,634*



DieselCaptain™ 1200L

with 45L/min Pump and Liquid lockers DUL1200LFB045V1

\$2.826*****



Capacity (Litres)	Model & Dimensions	Select Pump	Code	RRP*(\$)
800 Litres	STANDARD	60 L/Min	DUL0800LFB060V1	\$ 2,714
	with LiquidLocker™ baffle system 1700 x 1000 x 860 mm (LWH)	80 L/Min	DUL0800LTB080V1	\$ 2,917
1000 Litres	SPACE SAVER	60 L/Min	DUL1000LFB060V1	\$2,891
	with LiquidLocker™ baffle system 1700 x 1000 x 1025 mm (LWH)	80 L/Min	DUL1000LTB080V1	\$3,094
	SLIM DESIGN	60 L/Min	DUL1200LFB060V1	\$3,083
1200 Litres	with LiquidLocker™ baffle system 1700 x 1000 x 1190 mm (LWH)	80 L/Min	DUL1200LTB080V1	\$3,287

with 45L/min Pump and Liquid lockers DUL0800LFB045V1



Steel Frame Options

Capacity (Litres)	Model & Dimensions	Code	RRP*(\$)
100 L	STANDARD	ASFD00100	\$ 460
200 ∟	SPACE SAVER	ASFD00100	\$ 460
200 ∟	LOW PROFILE	ASFD00200	\$ 460
220 L	SQUAT TANK	ASFD00220	\$504
300 ∟	SLIM DESIGN	ASFD00400	\$ 5 96
400 ∟	SLIM DESIGN	ASFD00400	\$ 5 96
400 ∟	STANDARD	ASFD00200	\$ 460
400 ∟	SQUAT TANK	ASFD00400A	\$ 5 96
440 L	LOW PROFILE	ASFD00440	\$ 596
600 ∟	STANDARD	ASFD00440	\$ 5 96
800 ∟	STANDARD	ASFD00440	\$ 5 96
1,000 L	STANDARD	ASFD00440	\$ 5 96
1,200 L	STANDARD	ASFD00440	\$ 5 96

5-Digit Flow Meter Fits to all Diesel units **5-Digit Flow Meter** CODE: ADFPE25D5 **Measure the Flow** of Your DieselCaptain™ \$299* *Prices include GST | See page 110 for freight costs

DieselSergeant[™]

Refueling Units

- » Flexible suction hose with foot strainer
- » Lockable filler cap for security
- » 4 metres of battery cables
- » Splash resistant breather
- » 4 metres of delivery hose
- » Diesel grade tank
- » Reliable 40 L/min Dieselflo® pump with integrated bypass
- Auto shut-off nozzle prevents overfilling and fuel wastage
- » Earth strap to prevent static build up when filling tank

with 40L/min Pump CODE: DSU0050LD040V1

with 40L/min Pump

\$1,100*

| DieselSergeant™ 400L with 40L/min Pump

CODE: DSU0400ALD040V1



DieselSergeant™ 50L \$761*

DieselSergeant™ 220L CODE: DSU0220LD040V1



with Petrol Pump Kit

60L/min Pump; 10m Reel

60L/min Pump; 10m Reel

60L/min Pump; 10m Reel

210L/min Pump: 10m Reel

210L/min Pump: 10m Reel

210L/min Pump; 10m Reel

» Sleek ergonomic design available in three useful sizes, 600, 800 and 1000Lty Fuels

Note: Steel Frame as optional upgrade

600 L

800

1.000 L

600 L

800 L

1,000 L

DieselMajor™

with Petrol or 12v Powered Pump

» Designed to fit across the width of a standard Ute tray

» Provision for tie down straps to securely fasten tank onto your vehicle

» Super Strong spring loaded retractable hose reel with 10m x 25mm hose

Free Call **1800 816 277** | sales@tti.com.au | www.tti.com.au

\$4,033

\$4.246

\$4,458

\$4,579

\$4,798

\$4,967

DUCD0600LFB060V

DUCD0800LFB060V

DUCD1000LFB060V1

DUCD0600LHB210

DUCD0800LHB210

DUCD1000LHB210

Transfer Tanks

Without Pump



System



Pad-lockable Cap

Code

DTC00050L

DTC00100L

DTC00220L

DTC00400AL

DTC00500L

DTC00600L

DTC00800L

DTC01000L

DTC01200L

DTC01500L

DTC02000L

DTC02400L

DTC03000L

DTC04000L

DTC05000L

DTC06000L

DTC07000L

DTC08000L

DTC10000L



tional 2" Filler Camlock

Sizes from 50 to 10,000 litres

Diesel Accessories



Diese | Cadet Transfer Tanks

Dimensions (mm)

(LWH)

800 x 430 x 390

900 x 450 x 475

925 x 710 x 510

1620 x 710 x 510

1250 x 1070 x 580

1250 x 1070 x 740

1430 x 1220 x 670

1430 x 1220 x 835

1720 x 1230 x 840

1720 x 1230 x 1000

2150 x 1410 x 870

2150 x 1410 x 1140

2430 x 1540 x 1200

2430 x 1540 x1450

2760 x 2000 x 1400

2760 x 2000 x 1540

3390 x 2250 x 1390

3300 x 1900 x 1850

3480 x 2250 x 1940

Capacity

(Litres)

50 L

100 L

220 L

400 L

500 L

600 L

800 L

1.000 L

1.200 L

1,500 L

2,000 L

2.400 L

3.000 L

4.000 L

5,000 L

6,000 L

7.000 L

8,000 L

10,000 L

Innovative splash resistant breather system specifically designed for diesel transport

Earth strap to prevent static build-up Pad-lockable filler cap No-spill fill system

Filler cap with strainer

Safety chain to prevent loss

Pad-lockable cap

RRP*(\$)

(Frame)

N/A

N/A

\$504

\$596

\$1,951

\$1,951

\$2,106

\$2,106

\$2,206

\$2,206

\$1,980

\$1,980

\$2,993

\$2,993 \$3,942

\$3,942

4.998

4,998

4,998

Removable plate allows access to tank

Frame Code

N/A

N/A

ASFD00220

ASFD00400A

ASFCA00500

ASFCA00500

ASFCA00800

ASFCA00800

ASFCA01200

ASFCA01200

ASFC02000

ASFC02000

ASFC03000

ASFC03000

ASFC05000

ASFC05000

ASFC07000

ASFC08000

ASFC07000

Drain plug

\$345

\$518

\$581

\$975

\$1.109

\$1,311

\$1,616

\$1.777

\$1.880

\$2.343

\$3,083

\$3.509

\$4.813

\$5,538

\$6,527

\$8,321

\$8.843

\$10.884

Baffle System

(Upgrade* \$)

N/A

N/A

N/A

N/A

\$338

\$190

\$238

\$288

\$333

\$432

\$475

\$713

\$855

\$1.140

\$1,425

\$1,710

\$1,995

\$2,280

\$2,850

2" suction tube access



Sizes from

Keep Your Equipment Working



\$130*

DieselCadet[™]

Transfer Tanks

With Pump




400 to 10,000 Litres

with TTi's on-site Refuelers

Diesel Cadet Transfer Tanks with Pump

High Flow 60L/min & 80L/min electric pumps



Optional Liquid Lockers

•				
Co	de Ca	apacity (Litres)	Pump	RRP*(\$)
DUC0600	DLF045V1	600 L	45 L/min	\$2,007
DUC0600	DLF060V1	600 L	60 L/min	\$2,228
DUC0800	DLF045V1	800 L	45 L/min	\$ 2,301
DUC0800	DLF060V1	800 L	60 L/min	\$2,520

Fitted with Liquid Locker Safety System

	DUC1000LF060V1	1,000 L	60 L/min	\$2,705
	DUC1200LF060V1	1,200 ∟	60 L/min	\$2,930
	DUC1500LF060V1	1,500 ∟	60 L/min	\$3,280
	DUC2000LF060V1	2,000 ∟	60 L/min	\$3,910
	DUC2400LF060V1	2,400 ∟	60 L/min	\$ 4,379
	DUC3000LF060V1	3,000 ∟	60 L/min	\$5,349
	DUC4000LF060V1	4,000 ∟	60 L/min	\$6,5 3 7
	DUC5000LF060V1	5,000 ∟	60 L/min	\$ 7,546
	DUC6000LF060V1	6,000 ∟	60 L/min	\$9,377
1				

*Prices include GST | See page 110 for freight costs



with 60L/min 12v Pump Kit



On-Farm Trailers (with lights - no brakes)

Code	Description	RRP*(\$)
DRX0800LF060V1	DieselPatrol™ 800L Trailer with 60L/min 12v Pump	\$8,12 0
DRX1000LF060V1	DieselPatrol™ 1000L Trailer with 60L/min 12v Pump	\$8,205
DRX1200LF060V1	DieselPatrol™ 1200L Trailer with 60L/min 12v Pump	\$8,603
DRX1500LF060V1	DieselPatrol™ 1500L Trailer with 60L/min 12v Pump	\$9,061

On-Road Trailers (with lights and brakes)

Code	Description	RRP*(\$)
DRQ0800LF060V1	DieselPatrol™ 800L Trailer with 60L/min 12v Pump	\$10,78 6
DRQ1000LF060V1	DieselPatrol™ 1000L Trailer with 60L/min 12v Pump	\$10,90 7
DRQ1200LF060V1	DieselPatrol™ 1200L Trailer with 60L/min 12v Pump	\$11, 7 39
DRQ1500LF060V1	DieselPatrol™ 1500L Trailer with 60L/min 12v Pump	\$12,18 8

See page 82 for **Dual Axle Trailers**



See Other Accessories and Options on next page! See page 82

Flow Meter



Now fitted with

LiquidLockers[™] **Baffle System!**

Large **455mm lid opening** with

breather and filler cap. Easy access for cleaning if required

> Chequer plate pump enclosure

> > Huge range of

electric and petrol

driven pump options





Spring Rewind Reel

\$1,624*



Earth strap fitted to release static charge when filling

Heavy duty UV stabilised poly tank -15 year warranty

Diesel Patrol 14[™] Trailers
Bring the Fuel to your Equipment

DieselPatrol

I DieselPatrol14™ 1000L

(On-Farm Trailer)

\$7,321*

I DieselPatrol14™ 1000L

(On-Road Trailer)

\$9,034*

DieselPatrol15[™] Dual Axle Trailers

Huge Range of Fit-Out options

Scan to see this product in action!

DieselPatrol™ 2000L

On-Farm Trailer with 60L/min Pump; 4-Digit Flow meter & Filter
CODE: DRXD2000L060V1 \$13,158*

On-Farm Trailers (with lights - no brakes)

Code	Description	RRP*(\$)
DRXD1200L	Farm Sprung Dual Axle Trailer with 1200L tank	\$10,4 5 9
DRXD1500L	Farm Sprung Dual Axle Trailer with 1500L tank	\$10,908
DRXD2000L	Farm Sprung Dual Axle Trailer with 2000L tank	\$11,78 7
DRXD2400L	Farm Sprung Dual Axle Trailer with 2400L tank	\$12,30 4
DRXD3000L	Farm Sprung Dual Axle Trailer with 3000L tank	\$1 4, 515

On-Road Trailers (with lights - with brakes)

RRP*(\$)	Description	Code
\$1 4,611	On-Road Dual Axle Trailer with 1200L tank	DRQD1200L
\$15,06 6	On-Road Dual Axle Trailer with 1500L tank	DRQD1500L
\$16,119	On-Road Dual Axle Trailer with 2000L tank	DRQD2000L
\$16,65 0	On-Road Dual Axle Trailer with 2400L tank	DRQD2400L
\$18,5 5 5	On-Road Dual Axle Trailer with 3000L tank	DRQD3000L

*Prices include GST | See page 111 for freight costs



PantherPatrol™ Diesel Trailers

Optimum Functionality and Design



Lid with splash resistant breather, 2" filler tube and earth strap

> 70 Litre Fresh Water Tank (or can be use for AdBlue)

> > protection in price)

2 Flow Meter Options

Pump Options

ADPX4900ZK

ADPX210MPk

ADPF060V1K

ADPF045V1K

Code	Description	RRP*(\$)
ADFPE25D5	5-Digit Electronic Flow meter; 1" ports	\$ 2 99
ADFMM25D4	4-Digit Mechanical Flow Meter; 1" Ports	\$ 293

Description

490L/min Petrol driven

GX160 Honda Pump Kit

210L/min Petrol driven

GX50 Honda Pump Kit

60L/min 12 volt Pum Kit

45L/min 12 volt Pump Kit; 6m x 3/4 " Delivery Hose

6m x 1" Delivery Hose

Additional Options

Code	Description	RRP*(\$)
ADHR010M25	Spring Loaded Diesel Hose & Reel with 10m of 25mm Hose	\$ 1,624
ADC30M25F	Diesel Catridge Filter	\$130



PantherPatrol 1100L (On-Farm)

Pump not included; see table for pump options available CODE: DRPX1100L

\$9,223*

PantherPatrol 1100L (On-Road)

Pump not included; see table for pump options available CODE: DRPQ1100L

\$11,954*

82 *Prices include GST | See page 110 for freight costs

Assembly

\$147*

Lid & Filter

- » Pad-lockable, non vented diesel filler lid with strainer & anti-loss chain
- » Used in all TransDiesel units
- » #50 mesh filter at fill point helps prevent contamination of your fuel

Diesel Lid Cap with Chain CODE: ADLC001CCT \$30*

Lid & Filter Assembly CODE: ADLC001CCF

Fuel Level Gauge

Never guess your fuel level again!

- » Fits neatly beside filler cap
- » Easy to read fuel level gauge for DieselCaptain units



CODE	DESCRIPTION	RRP*(\$)
ADLM01MK	250mm Fuel Level Gauge	\$ 110
ADLM02MK	300mm Fuel Level Gauge	\$ 116
ADLM03MK	400mm Fuel Level Gauge	\$ 122
ADLM04MK	500mm Fuel Level Gauge	\$ 126
ADLAGENAL	/00 Fire Carres	9420

Auto Shut-Off Diesel Nozzles

Reliable Auto Shut-Off Nozzles in 2 Sizes



3/4" Auto Shut-off **Fuel Dispensing Nozzle**

Supplied Standard with all 45L/min Pump Kits CODE: ADGA20 \$145*

1" Auto Shut-off **Fuel Dispensing Nozz** Supplied Standard with all 60L/min Pump Kits CODE: ADGA25 \$233*

Hose Swivels

CODE: ADGM20

\$91*

- Avoid Tangled Hoses
- with These Swivels

Diesel Filters

Keep Your Fuel Clean!



3/4" Brass Hose Swivel 3/4" MBSP to 3/4" FBSP CODE: CFSBB20M20F



1" MBSP to 1" FBSP CODE: SW25M25F

1" Brass Hose Swive

Diesel Cartridge Kit CODE: ADC30M25F

\$130*

30 micron filtration controls sediment. Special water absorption technology to capture water traces in fuel.

Easy to Fit to Your Fuel Line

Aluminium filter holder supplied with water & sediment filter cartridge.



Filter

Diesel Cartridge CODE: ADC30M25C \$97*

Diesel Hose

- » Choose from 6 & 10 metre hose lengths
- Choose from 3/4" and 1" hose diameter
- High quality diesel grade hose with crimped fittings
- » Hose kinking prevented by anti-kink spring



Code	Description	RRP*(\$)
ADZF6M20	Diesel hose 6 metres 20mm with crimped ends	\$1 32
ADZF10M20	Diesel hose 10 metres 20mm with crimped ends	^{\$} 166
ADZF6M25	Diesel hose 6 metres 25mm with crimped ends	\$213
ADZF10M25	Diesel hose 10 metres 25mm with crimped ends	\$ 257

*Prices include GST | See page 111 for freight costs

Heavy Duty Hose Reel

Dual Pedestal Strong Steel Construction Retractable Reels

- » BSP fittings on hose
- » Spring loaded retractable reel
- » Heavy duty steel construction
- » Hose feed guide with stopper
- » Secure 4 point mounting
- » 1" BSP swivel & inlet for increased flow

EXTRA

REACH

- » Made in Italy
- » 2 sizes to choose from 10m of 25mm or 20mm hose



Digital Flow Meter

Measure the flow of your fuel with these handy flow meters digital simple to use & easy to fit helps you keep track of your fuel usage

- » Turbine measuring system measures in litres, gallons, pints and quarts
- » Easy to install at either end of the delivery hose. Can be calibrated
- » 5-digit easy to read LCD display powered by lithium battery (CR2)
- Fluid Type: For diesel, kerosene & Diesel Exhaust Fluid eg; Ad Blue™, NoNox®, Air1®
- » Flow Rate: 10-100 LPM / 3-26 GPM
- » Max. Operating Pressure: 72psi / 5bar
- » Inlet/Outlet: 1"

| 5-Digit Flow Meter (Digital) CODE: ADFPE25D5 \$299*



Mechanical Flow Meter

Large, Easy to Read Display

- » Large, Easy to Read Display
- » 4 digit subtotal + 8 digit total
- » 20-120 L/min flow rate
- » Max flow measurement 999.9 Litres
- » Max operating pressure 3.5bar/50psi
- » +/- 1% accuracy
- » 1" ports

4-Digit Flow Meter (Mechanical) CODE: ADFMM25D4 \$293*



Honda GX50 Diesel Pump

210L/min Petrol-Powered Pump Kit

- » 210 L/min pump kit with viton seals
- Complete with auto shut-off nozzle
- 6m of 25mm delivery hose
- 2m of 38mm suction hose
- GX50 Honda motor, pressure relief with 1m hose



GX50 Pump Kit Code: ADPX210MPK

Free Call 1800 816 277 | sales@tti.com.au | www.tti.com.au

Diesel Pumps (pump only)

12v Transfer40 Pump

- » 12 volt 40 L/min open flow rate
- » Improved heavy duty switch
- » Supplied with suction filter
- » 3/4" BSP ports
- Self priming
- Reliable & compact
- » Redesigned integrated bypass valve
- A metres of electrical cable with battery clips

12v with Battery Cables CODE: ADPX040V1P \$309*



12v 45L/min Fluid Pump

- » 12 volt rotary electric vane pumps
- » Integrated suction filter & bypass valve
- » 4 metres of electrical cable with battery clips
- » 1' Female threaded ports
- Self priming
- Reliable & compact
- » Made in Italy

12v with Battery Cables CODE: ADPF045V1P

12v 60L/min Fluid Pump

- » 12 volt rotary electric vane pumps
- » Integrated suction filter & bypass valve
- A metres of electrical cable with battery clips
- » 1" BSP ports
- Self priming
- Reliable & compact
- Made in Italy



12 v 40L/min Transfer 40 Kit

- » Improved heavy duty switch
- » Supplied with suction filter
- 3/4" BSP ports
- Self priming
- Reliable & compact
- 4 metres delivery hose
- 2 metres of 25mm suction hose
- 4 metres of electrical cable with battery

Diesel Pumps (kit)

DieselFlo 40L/min 12v with Battery Cables

CODE: ADPX040V1K \$453*



12v 45L/min Piusi Kit

- » Automatic nozzle with swivel to prevent hose
- Easy clean suction strainer
- » 1" Suction: 3/4" Discharge Tails
- Bypass valve integrated on pump body
- » 4 metres of power cable + battery clips
- 2 metres of 25mm suction hose
- » 6 metre delivery hose
- » Made in Italy



12v with Battery Cable CODE: ADPF045V1K

\$729*

12 v 60L/min Fluid Kit

- Automatic nozzle with swivel to prevent hose
- » Easy clean **suction strainer**
- » 1" BSP threaded connectors
- Bypass valve integrated on pump body
- » 4 metres of power cable + battery clips
- » 2 metres of 25mm suction hose
- » 6 metre delivery hose
- » Made in Italy

I Fluid 60L/min k

12v with Battery Cables CODE: ADPF060V1K

\$948*



24v 60L/min Fluid Pump

- » 24 volt rotary electric vane pumps
- » Integrated suction filter & bypass valve
- » 1" BSP ports
- » Self primina
- Reliable & compact
- » Made in Italy
- » 4 metres of electrical cable with battery clips

I Fluid 60L/min Pum 24v with Battery Cables CODE: ADPF060V2P \$731*



240 v 60L/min Fluid Pump

- 60 L/min 240 volt diesel pump kit
- » 2 metres of 25mm suction hose
- » Made in Italy
- » 1" Female BSB Threaded Ports

Fluid 60L/min Pump

240 with Battery Cables

CODE: ADPF060V3P

\$807*



12v 80L/min EquipCo Pump

12v L/min EquipCo Pump

- Easy clean suction strainer
- On/off switch on pump » 1¼" threaded ports



24v with Battery Cab CODE: ADPF060V2K \$991*

24v 60L/min Fluid Kit

- 60L/min 24 volt diesel pump kit
- 4 metres of power cable + battery clips
- 2 metres of 25mm suction hose
- 6 metres of 25mm anti-static delivery hose with anti-kink spring + auto shut-off nozzle
- » Made in Italy



240 volt 60L/min Fluid Kit

- 60L/min 240 volt diesel pump kit
- » 2 metres of 25mm suction hose
- » Made in Italy

CODE: ADPF060V3K

» 6 metres of 25mm anti-static delivery hose with anti-kink spring and auto shut-off nozzle



12 v 80L/min EquipCo Pump Kit

- Automatic nozzle with swivel to prevent hose tangles
- » Easy clean suction strainer
- » On/off switch on pump
- » 1¼" threaded ports






*Prices include GST | See page 110 for freight costs


BlueMission[™]

Diesel Exhaust Fluid (DEF) Dispenser with 35L/min flow rate

Fully enclosed lockable pump compartment for security and protection

- 35L/min flow rate
- » Stainless steel lid and auto shut-off nozzle for controlled dispensing
- » Stainless steel pump with internal bypass for durability and ease of use
- Stainless steel breather mounted behind lid
- » 4m of electrical cable with battery clips
- » EPDM gaskets and seals
- » Tank manufactured from urea grade polyethylene Diesel Exhaust Fluid (DEF) compatibility
- » Filler cap Diesel Exhaust Fluid (DEF) compatible





BlueMission™ 200L

200 Litre with 35L/min Pump and Auto Nozzle DIM: 800 X 680 X 710 (MM) CODE: DAL0200ALT035AV1

\$2,010*

Affordable Bulk AdBlue Transportable Tanks

Enjoy the poly advantage of No Rust!

Tanks are designed to carry the extra weight of AdBlue

Extra **UV stabilisation** - protects the tank from ever deteriorating in direct sunlight

20-year tank warranty

Call us Today to Discuss

Your Specific Requirements











with Spring Steel Mounting Brackets
CODE: PFT0010L



Fast & Consistent Flow from Double Action Hand Pun Ideal for Spark/Ember Suppression, Managing Spot Fires & Burning Off, Comfortable to Wear, Easy to Carry, and Easy to Use

- » Double action chromed brass pump for ease of operation and durability
- » Adjustable nozzle for effective performance in varying conditions
- » 2 x one-way valves prevent leakage and siphoning when not
- Robust tank designed to withstand abuse
- » Filter in lid to keep debris out of tank
- » Ergonomic tank design for user comfort





16 Litre Knapsack Fire Fighter CODE: PFK0016L

Vehicle Carry Frame

ODE: ASFF00016





Essential backup protection when fire threatens

- » Designed for rapid deployment in fire
- Reliable Honda motor and fire pump
- Easy to load with central lifting lug
- 6m suction kit with strainer & camlock
- 36m fire hose with adjustable nozzle
- Fully galvanised frame







CODE: AFR4900ZH4K



Fire Fighting Kit CODE: AFR4900ZH4



» Honda GX160 motor powers 1.5" fire fighting pump for reliable

Fire Fighting Kit with Honda GX160 & Davey Fire Fighting Pump

Poly hose reel with handle for winding up - complete with 36 metres of 19mm hose

and adjustable fire fighting nozzle

- » Bottom fill kit supplied Storz fittings available
- » Pressure regulator fitted to pump for pressure control & safer operation. Return line to tank with fittings included
- » Anti-vibration mounting
- » Ball valve with fittings
- » Suction Hose







Robust frame - Comes with spring self-winding type and manual



| 20m Spring Rewind KoReel[™] CODE: ATHW020SR \$1.369*

I 36m Manual Rewind KoReel[™] CODE: ATHW036MANR

\$1.019*

Fire Fighting Poly Hose Reel

- » Redesigned frame for extra strength
- » All new fluid path with brass fittings means no rusty water
- » Secure and positive reel lock device prevents hose unwinding while in transit
- » 36m x 19mm hose (AS 1221)
- » Complete with adjustable fire fighting
- nozzle



I Fire Hose Reel (bare) CODE: AFHW10B19 \$514*

I 36m Fire Hose & Reel CODE: AFHW10B036M19 **\$711***

» 1" brass swivel



Are You Ready for the Fire Season?

www.tti.com.au








Heavy Duty Fire Fighters That Slide Easily Into Your UTE or trailer

- » UV stabilised polyethylene tank for long life, with 20-year we
- » Honda GX160 engine with Davey Pump & 36m Hose Reel
- » Low profile design for safety, stability and ease of operatio
- » Liquid Locker baffling system fitted to eliminate surge
- » 6m quick fill suction kit for filling from channels, dams, rainwater tanks etc » Smart easy plumbing allows fast changeover of hoses when







Davey Single Impeller Pump!

FireDefence™ 600L CODE: SFD0600LZ

l FireDefence™ 800L CODE: SFD0800LZ \$4,433*

I FireDefence™ 1000L DIM: 1700 X 1000 X 1320 (MM) CODE: SFD1000LZ \$4,649*

0 AG -425 D

DIM: 1700 X 1000 X 990 (MM)

\$4.324*

\$5.282*

IPGRADE OPTIONS







ADD "S" TO END OF CODE \$350* *UPGRADE PRICE

FireAttack™ Deluxe Skid-Mounted Units

Slip-On Fire Fighting Units

Heavy Duty Fire Fighters That Slide Easily Into Your UTE or trailer

- » GX200 Honda engine coupled with 400L/min Davey Twin Impeller Fire Pump
- » Heavy duty hose reel with 36m x 19mm hose, safety locking catch and adjustable twis
- » UV stabilised; Heavy-Duty; Fully drainable tank with 20-year warranty; Light-weight and durable with Liquid locker Safety System
- » Pressure relief bypass fitted to tank ensures pump remains cool when in operation. Excess pressure returns to tank.
- » 4 x lifting eyelets; 150 x 100mm RHS forklift pockets. Units can be lifted from all four sides



1600 X 1220 X 1000 (MM) CODE: PFUS0400LZF

1740 X 1250 X 760 (MM) CODE: PFU0500LZF

1740 X 1250 X 760 (MM) CODE: PFU0600LZF \$5.571*

1900 X 1440 X 810 (MM) CODE: PFU0800LZF

\$5.724*

1900 X 1440 X 980 (MM) CODE: PFU1000LZF \$5.911*

Free Call 1800 816 277 | sales@tti.com.au | www.tti.com.au

*Prices include GST | See page 110 for freight costs

1900 X 1700 X 1250 (MM) CODE: PFU1500LZF \$6.250*

MAIN **FEATURES**













Packed with amazing new features!

- Heavy duty poly tanks with 20 Year warranty
- Galvanised steel frame with forklift pockets
- Genuine Recoil Honda engines coupled with Davey **▼** Twin Impeller pumps
- ✓ Liquid Lockers Baffle System fitted
- Skid design allows it to be easily mounted onto any flat tray truck

*Prices include GST | See page 110 for freight costs Pro1000 Free Call 1800 816 277 | sales@tti.com.au | www.tti.com.au

AguaPath™ with GX200 Honda and Twin Davey Pump & Wireless Control Deflectors

RRP*(\$)	DIMENSION (mm)	CAPACITY	CODE
\$10 , 522	2910 x 1410 x 958	2,000 L	PFU2000LZ
\$10,88 6	2910 x 1410 x 1228	2,400 L	PFU2400LZ
\$13,14 0	3020 x 1540 x 1340	3,000 L	PFU3000LZ
\$1 4,31 6	3020 x 1540 x 1590	4,000 L	PFU4000LZ
\$15,99 4	3500 x 2000 x 1569	5,000 L	PFU5000LZ
\$1 7,97 1	3500 x 2000 x 1709	6,000 L	PFU6000LZ
\$19 ,25 1	4100 x 2200 x 1559	7,000 L	PFU7000LZ
\$ 20,810	4100 x 1900 x 2019	8,000 L	PFU8000LZ
\$ 22,428	4100 x 2250 x 2479	10,000 L	PFU10000LZ

CODE	CAPACITY	DIMENSION (mm)	RRP*(\$)
PFU2000LZ	2,000 L	2910 x 1410 x 958	\$10, 522
PFU2400LZ	2,400 L	2910 x 1410 x 1228	\$10,88 6
PFU3000LZ	3,000 L	3020 x 1540 x 1340	\$13,14 0
PFU4000LZ	4,000 L	3020 x 1540 x 1590	\$14,31 6
PFU5000LZ	5,000 L	3500 x 2000 x 1569	\$15 , 994
PFU6000LZ	6,000 L	3500 x 2000 x 1709	\$1 7,97 1
PFU7000LZ	7,000 L	4100 x 2200 x 1559	\$19, 2 51
PFU8000LZ	8,000 L	4100 x 1900 x 2019	\$ 20,810
PFU10000LZ	10,000 L	4100 x 2250 x 2479	\$22,428

AquaPath™ Upgrade Options

Engine Motor Upgrade

Upgrade to recoil or electric start 4.8 Hp Yanmar Diesel Engine or Honda GX200E with Electric Start



Honda GX200E

Petrol with Electric Start JPGRADE PRICE 1.350*



Yanmar Diesel Engine 4.8hp Electric Start, with Battery Pack

UPGRADE PRICE \$3,990*

Hydrant Fill Lid

Ensure your new water cart complies with local regulations by adding this filling option



3" Hydrant Fill Lid

with 1-way valve and camlock \$1.953*

Extra Hose Reel

Double your efficiency by adding a second hose reel



Heavy Duty Hose & Reel

36m x 19mm Hose CODE: AFHW10B036M19

Spring Rewind Ree

Powder-coated Steel Construction



Spring Rewind Reel 20m x 19mm Hose CODE: ADD 'S' TO END OF CODE



Hitch & Go Convenience in a Great Value Package

- » 1½" Single Impeller Davey 500L/min fire fighting pump open flow with pressure relief protection
- Tail, brake, indicator & number plate lights (Road version only)
- » Fire fighting hose reel with 36 metres of 19mm hose
- » GX160 Honda Motor
- » Road trailers have hydraulic brake system
- » 14" wheels with Ford hub pattern
- » LiquidLocker™ Baffling System Fitted

FirePatrol14™ 1000L (On Farm)

Single Axle - Fire Fighting Trailer - No Brakes Honda GX160; Single Impeller Davey Pump \$7.750*****

FirePatrol14™ 1000L (On Road)

Single Axle - Fire Fighting Trailer - with Brakes Honda GX160; Single Impeller Davey Pump CODE: SRFQ1000LZ \$8,977*

*Prices include GST | See page 110 for freight costs

Deflector Spray Head CODE: ARY0038BV

Now fitted with

LiquidLockers"

Baffle System!

FirePatrol15™ Water Cart Trailer

Australia's No: 1 Water Cartage Trailer

Multipurpose Heavy Duty Trailer for Fire Fighting, Dust Suppression and Tree Watering

- Galvanised steel frame and mudguards with new 15" wheels
- » Durable **UV stabilised** polyethylene tank

» Equipped with Honda GX200 engine and Davey Twin Impeller pump, 36 metre fire fighting hose reel with adjustable nozzle

Bottom fill kit is standard

On-Farm (No Brakes)		
800 Litres	CODE: PRFX0800LZ	\$ 8,963 *
1,000 Litres	CODE: PRFX1000LZ	\$9,283* •
1,200 Litres	CODE: PRFX1200LZ	\$10,463 *

On-Road (With Brakes)

800 Litres	CODE: PRFQ0800LZ	\$11,23 4 *
1,000 Litres	CODE: PRFQ1000LZ	\$11, 713 *
1,200 Litres	CODE: PRFQ1200LZ	\$12,69 4 *



Deflector Spray Head with Remote Control \$2,095*

Free Call 1800 816 277 | sales@tti.com.au | www.tti.com.au

Perfect for small civil projects and any other application for getting... "water to where you need it."

UV stabilised lightweigh poly tank fitted with liqui **locker Safety System**

Rear pump plate ensures operator safety. Eliminates chances of operator being trapped between vehicle and traile



Extra gussets for added strength





illed in chequer plate dguards prevent road rime flicking onto tank



Unique tank positioning

distributes weight evenly when empty and full

rge 15" wheels with Sunravsia rims ensures smooth towing

We Are an Approved VicRoads Trailer Registration Dealer!

Standard sprung axle farm trailer with no brakes or on road model fully equipped with brakes and lights

FirePatrol15[™] Water Cart Trailer

Free Call 1800 816 277 | sales@tti.com.au | www.tti.com.au

*Prices include GST | See page 110 for freight costs

Dual-Axle Heavy-Duty Water Cartage Trailer

Australia's No. 1 Choice!

Robust, safe and engineer approved, the Patrol15 line up if water cartage trailers are still being voted 'Best & Fairest' on and off the road! High performing and versatile, they make putting 'water to work' a pleasure!

Fire Fighting

Tandem Trailer



FirePatrol15™ 2000L CODE: PRFXD2000LZ **\$14,581***

> I FirePatrol15™ 2400L CODE: PRFXD2400LZ \$14,986*

CODE: PRFXD1500LZ

\$13,368*

FirePatrol15™ 3000L CODE: PRFXD3000LZ

Used by reputable hire companies around Australia!





On-Farm (No Brakes) On-Road (with Brakes)

FirePatrol15™ 1500L FirePatrol15™ 1500L CODE: PRFQD1500LZ \$17,128*****

> FirePatrol15™ 2000L CODE: PRFQD2000LZ \$18,397*

FirePatrol15™ 2400L CODE: PRFQD2400LZ \$18,725*

FirePatrol15™ 3000L CODE: PRFQD30<u>00LZ</u> \$21,280*****

SPEC UP Your Fire Trailer with These Options:



Diesel Engine Electric Start \$3.990*



Petrol Engine Electric Start \$1.350*



Spring Rewind Hose Reel \$658*



Hydrant Fill Lid \$1,953*



Dual Deflector Sprayer kit \$2.430* ARY0038AVX2



with Remote Control \$2.095 ARY0038AV



Dribble

\$1.247*

ARD1800BV



AQW015LK




AQCW001K



Reverse Alarm \$2.719*

AQSLB001V1





Extinguisher

AQSFD045K



PFK0016L



PantherPatrol™ Trailers

State-of-the-Art Design

- » Durable UV stabilised polyethylene tank with 20-year tank warranty
- » Genuine Honda GX200 engine with reliable twin impeller pump
- » 10 Litre Fresh Water Tank
- » 70 Litre Flush Tank
- » Heavy Duty lockable hinged lid enclosed toolbox
- » Heavy duty galvanised steel chassis. Chequer plate steel mudguards and tail light board
- » 36 metre fire fighting hose reel with adjustable nozzle and all plumbing





| PantherPatrol™ 1100L (On Farm) Single Axle Trailer - with Lights and No

Honda GX160; Twin Impeller Davey Pump CODE: PRFPQ1100LZ \$12.470*****

\$10,228*****

| PantherPatrol™ 1100L (On Road) Single Axle Trailer - with Lights and Brakes Honda GX160; Twin Impeller Davey Pump

Storm™ Civil Spec Water Truck

Designed to withstand the harshest of conditions, the Storm Chassis Mounted Truck will deliver greater efficiencies when applying water on site.





Now Featuring!

10080 XHD **Water Pump**

The 10080 XHD Series water pump is designed water trucks. 10080XHD pumps offer optimum performance for dust suppression applications.

A robust design harshest conditions.



TouchStream Technology

Unlike hydraulic driven water pumps, where water

The advantages are reduced wear and tear on both pump and truck, significant fuel savings and constant water



Pressure Bar





Dribble Bar





Water Cannon





Front Sprays





Drop Bar



Side Batter Sprays

Cascade™ Landscape Spec Water Truck

The ultimate landscape spec water truck! This purpose built water truck is designed to save watering time by being more accurate, simple to use and easy to operate.
















Ergonomic Design controlled with camera display

From \$53,500 Ex GST 5,000 to 17,000 Litre Options Available



FloodRite[™] **Tipper Water Carts** Specifically Designed for Tip Trucks

✓ Choice of **Honda Petrol** or **Yanmar Diesel** Engines

Features:

Applications

Dust Suppression Soil Conditioning **Landscape Watering Civil Works**

and More!



SIZES

Slip-On "Options"

Pressure Bar

Dribble Bar



From \$23,990 Ex GST Truck not included



Forkable Steel Skid

for Tray Trucks



Product Directory



TANKS Water / Chemical



Water Cartage Tanks

AquaTrans™/AquaMove™ (20L to 17000L)

Mounting Frames/Pins

Modular Tank Systems

TransLoc™ (6000L to 30000L)

InterLoc™ (5000L to 25000L)

SumpTrans™ (100L to 13000L)

Tank Accessories



SPRAY




Spray Accessories

BertoliniTM - Pumps

Engines & Pumps

Spray Accessories



Spray Lances/Guns
Nozzle Kits
Spray Booms/Steel Booms
Spray Tips
Hose Reels
HandiKart Trailer



DIESEL

Transport Equipment

DieselCaptain™ - Refueling Units	7
DieselSergeant™ - Refueling Units	7
DieselMajor™ - Refueling Units	7
DieselCadet™ - Refueling Tank	7
DieselCadet™ with Pump - Refueling Tank	7
DieselPatrol14™ - Refueling Trailers	8
DieselPatrol15™ Single Axle - Refueling Trailers	8
DieselPatrol15™ Dual Axle - Refueling Trailers	8
Diesel Accessories	8
Diesel Pumps	8
BluEMission™ - AdBlue Tanks	8



FIRE FIGHTING

Units / Equipment

ndBy10™ - Tractor Mount	9
ckUp16™ - Knapsack Fire Fighter	9
uaGuard™ - Home Protection Units	9
eGuard™ & FireCombat™ - Portable Fire Fighters	9
Deck™ - UTV Fire Fighting Units	9
eDefence™ - Slip-On Fire Fighting Units	9
eAttack™ Deluxe - Slip-On Fire Fighting Units	9
uaPath™ - Water Cartage Units	9
•Patrol14™ - Fire Fighting Trailers	9
•Patrol15™ Single/Dual Axle - Fire Fighting Trailers	9
ntherPatrol™ - Fire Fighting Trailers	10



INDUSTRIAL

Equipment

	THE REAL PROPERTY.
FloodRite™ - Slip-On Units	
FloodRite™ - Chassis Mount Units	
xTreme™ Multi-Purpose Trailer with Pressure	Washer

freight rate guide

Call 1800 816 277 for details. ZONE 1 ZONE 2 ZONE 3 ZONE 4 ZONE 5 ZONE 1 ZONE 2 ZONE 3 ZONE 4 ZONE 5 100 - 400 L \$100 All Bare **Tanks** Diesel Units 100 - 400 L \$100 500 - 1500 L **\$150** \$200 \$300 \$350 440 - 1200 L All Bare **Tanks** Diesel Units \$200 \$500 \$6**5**0 1500 - 6000L All Bare **Tanks** 2000 - 4000 L \$350 Diesel Units \$600 POA 5000 - 17000 L \$500 POA 600 - 1500 L All Bare **Tanks** POA Diesel Trailers \$700 POA Diesel Trailers 2000 - 3000 L \$800 POA Compression Sprayers All Sizes \$20 \$35 \$30 Fire **Units** 220 - 400 L \$100 **Spot** Sprayers 34 - 150 L \$90 Fire **Units** 500 - 1500 L \$270 200 - 225L \$**120 \$150 Spot** Sprayers Fire Units / AquaPath 2000L - 4000 L POA **Spot** Sprayers 300 - 400 L \$100 \$200 \$250 Fire Units/AquaPath 5000L - 17000 L POA Field Sprayers **500 - 1000** L \$300 \$550 POA 600 - 1200 L \$700 POA Fire **Trailers Spray** Trailers 200 - 400 L \$45**0*** \$450 1500 - 3000 L \$800 POA Fire **Trailers** 600 - 1500 L \$700 POA POA **Spray** Trailers \$300 \$600 **300 - 1000** L \$600 **Linkage** Sprayers 50 - 200 L \$**110** \$11**0** Rinse Bins \$100 \$180 \$200 Booms 6 - 8m **Flood**Rite 3000 - 4000 L \$600 \$900* \$400 \$400 10 - 12m \$200 Booms POA **Flood**Rite 5000 - 13000 L \$800 *Approximate Pricing \$200 \$400 \$400 Handi **Karts** \$10**0**

If multiple products are being ordered, Please contact for

All active dealers in zones 1 and 2 have access to FIS Stock orders.

*Prices include GST | See page 110 for freight costs

POA

POA


POA

POA

POA

POA

consolidated freight quote.



111

